

PURCHASE AGREEMENT

This Purchase Agreement (together with all attachments referenced herein, the "Agreement"), made and entered into by and between MacQueen Equipment, LLC, as Delaware corporation DBA MacQueen Emergency ("MacQueen"), and Village of Romeoville, (customer) is effective as of the date specified in Section 3 hereof.

1. Definitions

- a. **"Product"** means the fire apparatus and any associated equipment furnished for the Customer by MacQueen, pursuant to the specifications.
- b. **"Specifications"** means the general specifications, technical specifications, orientation, and testing requirements for the Product contained in the MacQueen Proposal for the Product prepared in response to the Customer's request for proposal.
- c. **"MacQueen Proposal"** means the proposal provided by MacQueen attached as Exhibit C prepared in response to the Customer's request for proposal.
- d. **"Delivery"** means the date MacQueen is prepared to make physical possession of the Product available to the Customer.

2. Purpose

This Agreement sets forth the terms and conditions of MacQueen's sale of the Product to the Customer.

3. Term of Agreement

This Agreement will become effective on the date it is signed and approved by MacQueen's authorized representative pursuant to Section 22 hereof ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon the Customer's Acceptance and payment in full of the Purchase Price.

4. Purchase and Payment

The Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of \$702,900.00 ("Purchase Price"). Prices are in US Funds.

NOTE: Upon final inspection at the factory for pick-up or delivery, the customer will need to supply a "Certificate of Insurance" and "FULL PAYMENT" prior to release of the vehicle, unless prior arrangements for vehicle's release have been made.

5. Future Changes

Various state or federal regulatory agencies (e.g. NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. In addition, any future drive train upgrades (engine, transmission, axles, etc.), or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. To the extent practicable, Company will document and itemize any such price increase for the Customer's approval before proceeding.

6. Agreement Changes

The Customer may request that MacQueen incorporate a change to the Products or the Specifications for the Products by delivering a change order to MacQueen; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit MacQueen to evaluate the feasibility of such change ("Change Order"). Within seven (7) business days of receipt of a Change Order, MacQueen will inform the Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. MacQueen shall not be liable to the Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only effective when counter-signed by MacQueen's authorized representative. Only the listed customer person(s) specified on Exhibit A may be able to authorize and sign the Change Order.

7. Cancellation/Termination

In the event this Agreement is cancelled or terminated by a party before completion, MacQueen may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by MacQueen; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. MacQueen endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by MacQueen upon sale of the Product to another purchaser, plus any costs incurred by MacQueen to conduct any such sale.

8. Delivery, Inspection, and Acceptance**a. Delivery**

Delivery of the Product is approximately August-September 2023 of the Effective Date of this Agreement. Risk of loss shall pass to Customer upon Delivery. Delivery shall be made and title shall pass upon Customer's complete fulfillment of its obligations arising under Section 4 hereof. Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.

b. Inspection and Acceptance

Upon Delivery, Customer shall have fifteen (15) days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish MacQueen with written notice sufficient to permit MacQueen to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by MacQueen within thirty (30) days from the Notice of Defect. In the event MacQueen does not receive a Notice of Defect within fifteen (15) days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer.

9. Notice

Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally-recognized private express courier:

MacQueen Equipment, LLC
1125 7th Street East
St. Paul, MN 55106

Village of Romeoville
Chief Kent Adams
13 Montrose Drive
Romeoville, IL 60446

10. Standard Warranty

The equipment sold herein will be manufactured by Pierce Manufacturing, Inc. and any warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Pierce's authorized representative and MacQueen.

a. Disclaimer

Other than as expressly set forth in this agreement, neither Pierce, its Parent Company, Affiliates, Subsidiaries, Licensors, suppliers, distributors, dealers, including without limitation, MacQueen, or other respective officers, directors, employees, shareholders, agents or representatives, make any express or implied warranties with respect to the products provided hereunder or otherwise regarding this agreement, whether oral or written, express, implied or statutory. Without limiting the foregoing, any implied warranty against infringement, and the implied warranty of condition of fitness for a particular purpose are expressly excluded and disclaimed. Statements made by sales representatives or in promotional materials do not constitute warranties.

b. Exclusions of Incidental and Consequential Damages

In no event shall MacQueen be liable for consequential, incidental or punitive damages incurred by Customer or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof, regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery or from MacQueen's own negligence, or otherwise.

11. Insurance

MacQueen maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:

Products/Completed Operations Aggregate: \$ 2,000,000

Each Occurrence: \$ 2,000,000

Umbrella/Excess Liability Insurance:

Aggregate: \$ 5,000,000

Each Occurrence: \$ 5,000,000

The Customer may request MacQueen to provide the Customer with a copy of a current Certificate of Insurance with the coverages listed above.

12. Indemnity

The Customer shall indemnify, defend and hold harmless MacQueen, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, judgments, liability, loss, damage, attorneys' fees or expenses of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting from, arising out of or occurring in connection with the Customer's purchase, installation or use of goods sold or supplied by MacQueen which are not caused by the sole negligence of MacQueen or Pierce.

13. Force Majeure

MacQueen shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond MacQueen's control which make MacQueen's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

14. Default

The occurrence of one or more of the following shall constitute a default under this Agreement:

(a) the Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; (b) MacQueen fails to perform any of its obligations under this Agreement; (c) either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; (d) any representation made by either party to induce the other to enter into this Agreement is false in any material respect; (e) the Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or (f) the Customer is in default or has breached any other contract or agreement with MacQueen.

15. Relationship of Parties

Neither party is a partner, employee, agent, or joint venture of or with the other.

16. Assignment

Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.

17. Governing Law; Jurisdiction

Without regard to any conflict of law's provisions, this Agreement is to be governed by and under the laws of the state of Minnesota.

18. Facsimile & Electronic Verified Signatures

The delivery of signatures to this Agreement by facsimile transmission and/or electronic verified shall be binding as original signatures.

19. Entire Agreement

This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by the Customer shall not be applicable, unless accepted in writing by MacQueen's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by MacQueen's authorized representative.

20. Conflict

In the event of a conflict between the Customer Specifications and the MacQueen Proposal, the MacQueen Proposal shall control.

21. Additional Orders

Company, at its sole discretion, will allow the terms of this contract to be extended to both the Customer, as well as to other Municipal, State, or Federal agencies for similar unit(s). Company will allow tag on / additional orders for up to three (3) years from the date of contract execution. To facilitate pricing, Company will quote the original price plus manufacturer's price increases or Producer's Price Index (PPI) whichever is greater as it applies to either Fire Apparatus and/or commercial heavy truck industries. Additionally, any regulatory changes (NFPA, EPA, Engine Emissions, FMVSS, etc.) will also have to be added to the price as they become applicable. Change orders to the original specification will need to be authorized, signed, and accepted by Company. Any entity using this tag-on/additional orders program will be required to sign a new contract commencing the relationship. Additionally, if required by the Purchaser, any new tag-on / additional orders that require a "separate" Performance bond will be separately priced. This contract, including its appendices, embodies the entire agreement between the parties relating to the subject matter contained herein and merges all prior discussions and agreements. No agent or representative of Company has authority to make any representations, statements, warranties, or agreements not herein expressed and all modifications of amendments of this agreement, including any appendices, must be in writing and executed by an authorized representative of each of the parties hereto. No surety of any performance bond given by Company to the Customer in connection with this Agreement shall be liable for any obligation of Company arising under the Standard Applicable Warranty.

22. Signatures

This Agreement is not effective unless and until it is approved, signed and dated by MacQueen's authorized representative.

Accepted and Agreed to:

MACQUEEN EQUIPMENT, LLC

VILLAGE OF ROMEOVILLE

Signature: _____

Signature: _____

Name: _____

Name: _____

Title: _____

Title: _____

Date: _____

Date: _____

EXHIBIT A – PURCHASE PAYMENT TERMS & CONDITIONS

 MacQueen Equipment, LLC
 1125 7th Street East
 St. Paul, MN 55106

Customer Name Village of Romeoville **Date** May 3, 2023

| Quantity | Chassis Type | Body Type | Price per Unit |
|----------|--------------|-----------|----------------|
| 1 | Saber* | Pumper* | \$702,900.00 |

***Stock Unit 39384 - Subject to Prior Sale.**

Only the below listed person(s) are authorized to make changes to product specifications on behalf of the Customer.

| Name | Title |
|------|-------|
| | |
| | |
| | |

This contract is available for inter-local and other municipal corporations to utilize with the option of adding or deleting any Company available options, including chassis models. Any addition or deletion may affect the unit price.

"PAYMENT TERMS" 100% of contract price or any balance is due prior to vehicle(s) release at the Pierce Manufacturing Plant (Bradenton, FL).

"TAXES" Federal, State, and Local Taxes are not included in the contract price.

"LATE PAYMENT" A late fee of .033% of the sale price will be charged per day for overdue payments beginning ten (10) days after the payment is due for the first thirty (30) days. The late fee increases to .044% per day until the payment is received.

[NOTE: If deferred payment arrangements are required, the Customer must make such financial arrangements through a financial institution acceptable to MacQueen.] All taxes, excises and levies that MacQueen may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by MacQueen to the Customer shall be for the account of the Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent (1.5%) per month or such lesser amount permitted by law. MacQueen will not be required to accept payment other than as set forth in this Agreement. However, to avoid a late charge assessment in the event of a dispute caused by a substantial nonconformance with material Specifications (other than freight), the Customer may withhold up to five percent (5%) of the Purchase Price until such time that MacQueen substantially remedies the nonconformance with material Specifications, but no longer than sixty (60) days after Delivery. If the disputed amount is the freight charge, the Customer may withhold only the amount of the freight charge until the dispute is settled, but no longer than sixty (60) days after Delivery. MacQueen shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by MacQueen or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to MacQueen, MacQueen shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of Minnesota.

THIS PURCHASE DETAIL FORM IS EXPRESSLY SUBJECT TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED AS OF May 3, 2023 BETWEEN MACQUEEN AND Village of Romeoville (customer) WHICH TERMS AND CONDITIONS ARE HEREBY INCORPORATED IN, AND MADE PART OF, THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE SEPARATELY SET FORTH HEREIN, EXCEPT TO THE EXTENT OTHERWISE STATED OR SUPPLEMENTED BY MACQUEEN HEREIN.

Is Customer Name and Address listed on page 2 to be used on Certificate of Origin (CO)? ☐ Yes ☐ No

If not, please provide correct name and address to be listed on CO. _____

Is there a lienholder? ☐ Yes ☐ No

If yes, please provide lienholder information. _____

EXHIBIT B – PROPOSAL OPTION LIST WITH WARRANTIES

SEE ATTACHED PROPOSAL OPTION LIST Bid Number 671, Stock 39384 Dated 4/25/2023 FOR ALL APPLICABLE OPTIONS AND WARRANTIES APPROVED WITH CONTRACT.

EXHIBIT C - PROPOSAL

SEE PROPOSAL FOR Bid Number 671, Stock 39384 Dated 4/25/2023 .



Option List

4/25/2023

Customer: Romeoville Fire Department, Village of
Representative Baudek, Vince
Organization: MacQueen Emergency Group
Requirements Manager:
Description: Saber 7000 1500/750 SC 39384
Body: Pumper, Medium, Aluminum, 2nd Gen, Saber
Chassis: Saber FR Chassis

Bid Number: 671
Job Number:
Number of Units: 1
Bid Date: 05/02/2023
Stock Number: 39384
Price Level: 44 (Current: 44)
Lane:

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 1 | 0074080 | | Build-to-Order, Pierce Florida Product - 2nd Gen Pumper | 1 |
| 2 | 0010012 | | No Boiler Plates requested | 1 |
| 3 | 0661794 | | Single Source Compliance | 1 |
| 4 | 0584455 | | Manufacture Location, Bradenton, Florida | 1 |
| 5 | 0584453 | | RFP Location: Bradenton, Florida | 1 |
| 6 | 0588609 | | Vehicle Destination, US | 1 |
| 7 | 0629866 | SP | Comparison Report Required - PMFD | 1 |
| | | | Fill in Blank - 37968 | |
| 8 | 0610784 | | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | 1 |
| 9 | 0533347 | | Pumper/Pumper with Aerial Device Fire Apparatus | 1 |
| 10 | 0588611 | | Vehicle Certification, Pumper | 1 |
| 11 | 0568412 | | Agency, Apparatus Certification, Pumper/Tanker, Third Party, PMFD | 1 |
| 12 | 0537375 | | Unit of Measure, US Gallons | 1 |
| 13 | 0030006 | | Not Requested | 1 |
| 14 | 0807703 | | Not Requested | 1 |
| 15 | 0000007 | | Approval Drawing | 1 |
| 16 | 0002928 | | Electrical Diagrams | 1 |
| 17 | 0632451 | | Saber FR Chassis | 1 |
| 18 | 0629024 | | Chassis Discount, Saber FR | 1 |
| 19 | 0000110 | | Wheelbase | 1 |
| | | | Wheelbase - 184.50" | |
| 20 | 0000070 | | GVW Rating | 1 |
| | | | GVW rating - 42,000# | |
| 21 | 0649713 | | Frame Rails, 10.25" x 3.50" x .375", Saber FR/Enf | 1 |
| 22 | 0020018 | | Frame Liner Not Req'd | 1 |
| 23 | 0635815 | | 18,000 lb Dana Axle | 1 |
| 24 | 0637879 | | Suspension, Front, Standens, Taper Leaf, 18,000 lb, Saber FR/Enforcer | 1 |
| 25 | 0778717 | | Shock Absorbers on Front Axle, Koni, Saber FR | 1 |
| 26 | 0000322 | | Oil Seals, Front Axle | 1 |
| 27 | 0627631 | | Tires, Front, Goodyear, G751 MSA, 315/80R22.50, LRL | 1 |
| 28 | 0789277 | | Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R, 5.25" Inset | 1 |
| 29 | 0641555 | | Axle, Rear, Dana S23-190, 24,000 lb, Saber/Enforcer | 1 |
| 30 | 0544253 | | Top Speed of Vehicle, 68 MPH | 1 |
| 31 | 0565379 | | Suspen, Rear, Single Slipper Spring, 24,000 lb, Saber/Enforcer | 1 |
| 32 | 0000485 | | Oil Seals, Rear Axle | 1 |
| 33 | 0587216 | | Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single | 1 |
| 34 | 0654797 | | Wheels, Rear, Accuride, 22.50" x 9.00", Steel, Hub Pilot, Single | 1 |
| 35 | 0568081 | | Tire Balancing, Counteract Beads | 1 |
| 36 | 0620570 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle | 1 |
| | | | Qty, Tire Pressure Ind - 6 | |
| 37 | 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 38 | 0602478 | | Chocks, Wheel, Pumper, NFPA, Provided by Fire Department, NFPA 2016 | 1 |
| 39 | 0544690 | | Mounting Brackets, Chocks, Provided by Fire Department | 1 |
| 40 | 0010670 | | ABS Wabco Brake System, Single rear axle | 1 |
| 41 | 0690932 | | Brakes, Bendix, ADB-22X, 17" Disc, Front | 1 |
| 42 | 0581433 | | Brakes, Bendix, Cam, Rear, 16.50 x 7.00" | 1 |
| 43 | 0020784 | | Air Compressor, Brake, Cummins/Wabco 18.7 CFM | 1 |
| 44 | 0644232 | | Brake Reservoirs, 4,272 Cubic Inch Minimum Capacity, Saber FR/Enforcer | 1 |
| 45 | 0644228 | | Air Dryer, Wabco System Saver 1200 IWT, Heated, 10" Frame, Standen, SFR/Enf | 1 |
| 46 | 0000790 | | Brake Lines, Nylon | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 47 | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well, Forward | |
| | | | Qty, Air Coupling (s) - 1 | |
| 48 | 0736437 | | 450 hp L9 Engine | 1 |
| 49 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 50 | 0687994 | | Engine Brake, Jacobs Compression Brake, Cummins Engine | 1 |
| | | | Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo | |
| 51 | 0644227 | | Clutch, Fan, Air Actuated, Saber FR/Enforcer | 1 |
| 52 | 0640477 | | Air Intake, Metal Screen, Saber FR/Enforcer | 1 |
| 53 | 0794761 | | Exhaust System, 4", 2017 L9/X10 Engine, Horizontal, Right Side | 1 |
| 54 | 0788765 | | Radiator, Saber FR/Enforcer | 1 |
| 55 | 0001090 | | Cooling Hoses, Rubber | 1 |
| 56 | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 |
| 57 | 0001129 | | Lines, Fuel | 1 |
| 58 | 0618791 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Axle, Common Air Bottle Door | 1 |
| 59 | 0723716 | | Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd | 1 |
| 60 | 0552712 | | Not Required, Shutoff Valve, Fuel Line | 1 |
| 61 | 0699437 | | Cooler, Chassis Fuel, Not Req'd. | 1 |
| 62 | 0690880 | | No Selection Required From This Category | 1 |
| 63 | 0887559 | | Trans, Allison 6th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/SFR/Enf | 1 |
| 64 | 0625329 | | Transmission, Shifter, 5-Spd, Push Button, 3000 EVS | 1 |
| 65 | 0684459 | | Transmission Oil Cooler, Modine, External | 1 |
| 66 | 0001370 | | Driveline, Spicer 1710 | 1 |
| 67 | 0637248 | | Steering, Dual Gear, TRW TAS-65, w/tilt, Pump w/ Cooler, Saber FR/Enforcer | 1 |
| 68 | 0509229 | | Steering Wheel, 2 Spoke | 1 |
| 69 | 0681841 | | Logo/Emblem, Not Required | 1 |
| 70 | 0606441 | | 19" Painted Steel Bumper | 1 |
| 71 | 0640197 | | Tray, Hose, Center, 19" Bumper, Outside Air Horns | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 20) 125' of 1.75" | |
| 72 | 0630813 | | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray | 1 |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| 73 | 0614646 | | No Lift & Tow Package, Imp/Vel, AXT, SFR/Enf | 1 |
| 74 | 0002270 | | Tow Hooks, Chrome | 1 |
| 75 | 0625651 | | 7000 Saber Cab | 1 |
| 76 | 0647919 | | Engine Tunnel, ISL, Saber FR/Enforcer | 1 |
| 77 | 0633594 | | Rear Wall, Interior, Adjustable Seating | 1 |
| 78 | 0632103 | | Rear Wall, Exterior, Cab, Saber FR/Enforcer | 1 |
| | | | Material, Exterior Rear Wall - Painted | |
| 79 | 0644201 | | Cab Lift, Elec/Hyd, Saber FR/Enforcer | 1 |
| 80 | 0636939 | | Grille, Polished Stainless Steel, Front of Cab, Saber FR | 1 |
| 81 | 0647932 | | Not Required, Trim, S/S Band, Across Cab Face, AXT/Saber/Enforcer | 1 |
| 82 | 0087357 | | Molding, Chrome on Side of Cab | 1 |
| 83 | 0772130 | | Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex, Marker Light | 1 |
| 84 | 0648171 | | Half Height Door | 1 |
| | | | Key Model, Cab Doors - 751 | |
| | | | Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black | |
| 85 | 0655543 | | Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab | 1 |
| 86 | 0528958 | | Not Required, Controls, Electric Window, AXT, Quantum, Saber, Enforcer | 1 |
| 87 | 0638310 | | Steps, 4-Door Cab, Saber FR/Enforcer | 1 |
| | | | Step Well Material - Aluminum Treadplate | |
| 88 | 0770194 | | Handrail, Exterior, Knurled, Alum, 4-Door Cab | 1 |
| 89 | 0892638 | | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 6lts | 1 |
| | | | Color, Trim - Chrome Housing | |
| 90 | 0002141 | | Fenders, s/s on cab - Saber/Enforcer | 1 |
| 91 | 0637984 | | Window, Side of C/C, Fixed, Saber FR/Enforcer | 1 |
| 92 | 0798597 | | Holder, Cup, Cab/Crewcab, Each, Loc | 2 |
| | | | Location - on top of engine tunnel for driver and officer | |
| | | | Qty, - 02 | |
| 93 | 0722796 | | Dash, Poly, Saber FR/Enforcer | 1 |
| 94 | 0750824 | | Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 94 | | | Engine Tunnel Cover - Dark Silver Gray Endure Vinyl | |
| | | | Cab Interior Rear Wall Material - Painted Aluminum | |
| 95 | 0753903 | | Cab Interior, Paint Color, Saber FR/Enforcer | 1 |
| | | | Color, Cab Interior Paint - i) fire smoke gray | |
| 96 | 0052100 | | Floor, Rubber Padded, Cab & Crew Cab, Saber/Enforcer | 1 |
| 97 | 0741237 | | HVAC, Saber FR, CARE | 1 |
| | | | HVAC System, Filter Access - Removable Panel | |
| | | | Auxiliary Cab Heater - Both | |
| | | | HVAC System, Control Loc. - Panel Position #12 | |
| 98 | 0639675 | | Sun Visor, Smoked Lexan, AXT, Imp/Vel, Saber FR/Enforcer | 1 |
| | | | Sun Visor Retention - No Retention | |
| 99 | 0634328 | | Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer | 1 |
| 100 | 0002526 | | Light, Engine Compt, All Custom Chassis | 1 |
| 101 | 0631830 | | Fluid Check Access, Saber FR/Enforcer, Arrow XT | 1 |
| | | | Latch, Door, Storage - Southco C2 Chrome Raised | |
| 102 | 0583039 | | Not Required, Side Roll and Frontal Impact Protection | 1 |
| 103 | 0622617 | | Seating Capacity, 6 Seats | 1 |
| 104 | 0636957 | | Seat, Driver, Pierce PSV, Air Ride, High Back, Saber FR/Enforcer | 1 |
| 105 | 0636946 | | Seat, Officer, Pierce PSV, Fixed, SCBA, Saber FR/Enforcer | 1 |
| 106 | 0620420 | | Radio Compartment, Below Non-Air Ride Seat, Saber FR/Enforcer | 1 |
| | | | Latch, Door, Storage - Southco C2 Chrome Raised | |
| 107 | 0632852 | | Seat, Rear Facing C/C, DS Outboard, Pierce PSV, SCBA, Saber FR/Enforcer | 1 |
| 108 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 109 | 0632848 | | Seat, Rear Facing C/C, PS Outboard, Pierce PSV, SCBA, Saber FR/Enforcer | 1 |
| 110 | 0108189 | | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 |
| 111 | 0632658 | | Seat, Forward Facing C/C, Center, (2) Pierce PSV, SCBA, Saber FR/Enforcer | 1 |
| 112 | 0108190 | | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 |
| 113 | 0766467 | | Upholstery, Seats In Cab, All Vinyl, Seats Inc, CARE | 6 |
| | | | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray | |
| | | | Qty, - 06 | |
| 114 | 0733227 | | Bracket, Air Bottle, Seats Inc., Halo, w/Front Cushion Release, PS6/PSV Seats | 5 |
| | | | Qty, - 05 | |
| 115 | 0603866 | | Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer | 1 |
| | | | Seat Belt Color - Red | |
| 116 | 0602464 | | Helmet Storage, Provided by Fire Department, NFPA 2016 | 1 |
| 117 | 0647647 | | Lights, Dome, FRP Dual LED 4 Lts | 1 |
| | | | Color, Dome Lt - Red & White | |
| | | | Color, Dome Lt Bzl - Black | |
| | | | Control, Dome Lt White - Door Switches and Lens Switch | |
| | | | Control, Dome Lt Color - Lens Switch | |
| 118 | 0602637 | | Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification | 1 |
| 119 | 0644187 | | Cab Instruments, Black Gauges, Black Bezels, Saber FR/Enforcer | 1 |
| | | | Emergency Switching - Individual Switches | |
| 120 | 0002544 | | Air Restriction Indicator - Pierce Chassis | 1 |
| 121 | 0543751 | | Light, Do Not Move Apparatus | 1 |
| | | | Alarm, Do Not Move Truck - Steady Alarm | |
| 122 | 0637359 | | Not Required, Door Open Indicator w/Do Not Move Truck Light, Enf/Saber FR | 1 |
| 123 | 0754774 | | Switching, Cab Instrument Lower Console & Overhead, Rocker, Saber | 1 |
| 124 | 0802940 | | Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer | 1 |
| | | | Location, Wiper Control - Standard Location | |
| 125 | 0548006 | | Wiring, Spare, 15 A 12V DC 2nd | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |
| | | | Wire termination - 10-Place Bus Bar w/Cover | |
| | | | Location - behind officer seat | |
| 126 | 0548004 | | Wiring, Spare, 15 A 12V DC 1st | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |
| | | | Wire termination - 15 amp power point plug | |
| | | | Location, Spare Wiring - panel position #14 | |
| 127 | 0797189 | | Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 127 | | | Location - panel position #14 | |
| 128 | 0763646 | | Vehicle Information Center, LCD On Gauge Cluster Only, Sab/Enf | 1 |
| | | | System Of Measurement - US Customary | |
| 129 | 0734857 | | Collision Mitigation, HAAS Alert (R2V), HA5 | 1 |
| | | | Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription | |
| 130 | 0610240 | | Vehicle Data Recorder w/Seat Belt Monitor | 1 |
| 131 | 0696438 | | Antenna Mount, Custom Chassis, Cable Routed to Radio Box | 1 |
| | | | Location - driver side of cab roof | |
| | | | Qty, - 01 | |
| 132 | 0696439 | | Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area | 1 |
| | | | Qty, - 01 | |
| | | | Location, Antenna Mount - Right Side | |
| 133 | 0808099 | | Camera, Pierce, 7" HD, R, Camera, AHD | 1 |
| | | | Color - 1) black | |
| | | | Location, Camera Monitor - Driver Side Dash | |
| 134 | 0511071 | | Guard, 4-Way, Rear Vision Camera | 1 |
| | | | Qty, - 01 | |
| | | | Location - over the camera | |
| 135 | 0624249 | | Electrical Power/Signal Protection & Control, Saber FR | 1 |
| 136 | 0624260 | | Hard Wired Electrical System | 1 |
| 137 | 0079166 | | Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud | 1 |
| 138 | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| 139 | 0002698 | | Battery Compartment, Saber/Enforcer | 1 |
| 140 | 0032690 | | Charger, Sngl Sys, IOTA, DSL 45, 45 amp | 1 |
| 141 | 0012782 | | Location, Charger, Front Left Side Body Compartment | 1 |
| | | | Location, Battery Chrgr/Cmpr - High On Left Wall | |
| 142 | 0530960 | | Not Required, Remote Battery Charger Indicator | 1 |
| 143 | 0016857 | | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super | 1 |
| | | | Qty, - 01 | |
| | | | Color, Kussmaul Cover - b) red | |
| | | | Shoreline Connection - Battery Charger | |
| 144 | 0020168 | | Shoreline Cab Loc, Cab, Saber FR | 1 |
| | | | Location, Shoreline(s) - DS Cab Side | |
| 145 | 0647729 | | Alternator, 320 amp, Delco Remy 40SI | 1 |
| 146 | 0644176 | | Load Manager, Integrated In Electrical System, Saber FR/Enforcer | 1 |
| 147 | 0783153 | | Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel | 1 |
| | | | Color, Headlight Bez - Chrome Bezel | |
| 148 | 0802935 | | Light, Directional, Wln M62T* LED, Cmn Bzl, Above Headlights, Sab/Enf | 1 |
| | | | Color, Lens, LED's - Clear | |
| | | | Color, Q Bezel and Trim - Polished Chrome | |
| | | | Flash Pattern, Directional Lts - Steady On (Arrow) | |
| 149 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 |
| 150 | 0647802 | | Lights, Clearance/Marker/ID, Front, P25 LED 5 Lts, Saber FR/Enforcer | 1 |
| 151 | 0647899 | | Lights, Directional/Marker, Cab Front Side, Weldon 9186-8580-29 LED, Sab/Enf | 1 |
| 152 | 0627282 | | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts | 1 |
| 153 | 0804514 | | Lights, Tail, Wln M62BTT* Red Stop/Tail & M62T* Amber Dir Arw For Hsg | 1 |
| | | | Color, Lens, LED's - Match | |
| | | | Flash Pattern, Directional Lts - Steady On (Arrow) | |
| 154 | 0806466 | | Lights, Backup, Wln M62BU, LED, For Tail Lt Housing | 1 |
| 155 | 0889577 | | Bracket, License Plate & Light, P25 LED, Stainless Brkt | 1 |
| | | | Color, Trim - Chrome Housing | |
| 156 | 0556842 | | Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights | 1 |
| 157 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 158 | 0687604 | | Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Grommet Mt | 1 |
| 159 | 0617866 | | Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts | 1 |
| 160 | 0683575 | | Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step | 1 |
| | | | Control, Perimeter Lts - Parking Brake Applied | |
| 161 | 0556360 | | Lights, Step, P25 LED 4lts, Pump Pnl Sw | 1 |
| 162 | 0598967 | | Lights, Side Scene, FRC SPA900-Q70 Surface Mt, 1st | 2 |
| | | | Location, Lights - mount behind driver side crew cab door, high as possible. Mount one above LS1, between the two body post's | |
| | | | Qty, - 02 | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 162 | | | Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel | |
| | | | Switch, Lt Control 3 DC,3 - d) No Control | |
| | | | Switch, Lt Control 4 DC,4 - d) No Control | |
| 163 | 0598966 | | Lights, Side Scene, FRC SPA900-Q70 Surface Mt, 2nd | 2 |
| | | | Location, Lights - mount behind passenger side crew cab door, high as possible. Mount one above RS1, between the two body post's | |
| | | | Qty, - 02 | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | | | Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel | |
| | | | Switch, Lt Control 3 DC,3 - d) No Control | |
| | | | Switch, Lt Control 4 DC,4 - d) No Control | |
| 164 | 0618301 | | Light, Visor, FRC, 12V SPA851-Q15-*, LED 1st | 1 |
| | | | Qty, - 01 | |
| | | | Location, driver's/passenger's/center - Centered | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | | | Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel | |
| | | | Switch, Lt Control 3 DC,3 - d) No Control | |
| | | | Color, FRC/Rom Lt Housing - FRC, Black Chrome Face | |
| 165 | 0532358 | | Not Required, Deck Lights, Other Hose Bed & Rear Lighting | 1 |
| 166 | 0645877 | | Lights, Hose Bed, Sides, Dual LED Light Strips | 1 |
| | | | Control, Hose Bed Lts - Cup Switch At Rear | |
| 167 | 0645677 | | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 |
| 168 | 0645611 | | Lights, Rear Scene, FRC, SPA900-Q70, Surface Mt, 1st | 2 |
| | | | Location, Lights - upper rear body bulkhead, one each side. | |
| | | | Qty, - 02 | |
| | | | Control, Rear Scene Lts - Cab Switch Panel DS and Body Switch, DS | |
| | | | Rear Bulkhead | |
| 169 | 0709438 | | Lights, Walk Surf, FRP Flood, LED | 1 |
| 170 | 0802863 | | Pumper, Medium, Aluminum, 2nd Gen, Saber | 1 |
| 171 | 0632361 | | No Additional Florida Discount - w/Saber FR Chassis | 1 |
| 172 | 0554271 | | Body Skirt Height, 20" | 1 |
| 173 | 0013492 | | 750 Gallon New York Style Water Tank | 1 |
| 174 | 0003405 | | Overflow, 4.00" Water Tank, Poly | 1 |
| 175 | 0028104 | | Foam Cell Required | 1 |
| 176 | 0553725 | | Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export | 1 |
| 177 | 0003429 | | Not Required, Direct Tank Fill | 1 |
| 178 | 0003424 | | Not Required, Dump Valve | 1 |
| 179 | 0048710 | | Not Required, Jet Assist | 1 |
| 180 | 0030007 | | Not Required, Dump Valve Chute | 1 |
| 181 | 0514778 | | Not Required, Switch, Tank Dump Master | 1 |
| 182 | 0709973 | | New York Style Hose bed | 1 |
| | | | Material Trim/Scuffplate - b) S/S, Brushed | |
| | | | Finish, Inside of Hose Bed - Painted | |
| | | | Finish, Inside of Cargo Area - Painted | |
| 183 | 0723549 | | Painted Hose Bed | 1 |
| | | | Paint Color, Hose Bed Interior - Match Lower Body | |
| 184 | 0003481 | | Hose Bed Capacity, Special | 1 |
| | | | Capacity, Hosebed - 1000' of 5" DJ Poly and 500 of 2.5" DJ Poly | |
| 185 | 0083488 | | Divider, Hose Bed, .25" Unpainted | 1 |
| | | | Qty, Hosebed Dividers - 1 | |
| 186 | 0589278 | | Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear | 1 |
| | | | Type of fastener - seat belt buckle | |
| | | | Nylon Web Color - Black | |
| | | | Type of fastener, Rear - seat belt buckle - bottom of hosebed | |
| 187 | 0581892 | | Divider, Hose Bed, .25" Sheet, Unpainted, Permanent | 1 |
| | | | Location - In hosebed, on top of the ladder compartment | |
| | | | Qty, - 1 | |
| 188 | 0013512 | | Running Boards, 12.75" Deep | 1 |
| 189 | 0689621 | | Tailboard, 16" Deep | 1 |
| 190 | 0690037 | | Wall, Rear, Smooth Aluminum/Body Material | 1 |
| | | | Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate | |
| 191 | 0889214 | | Tow Eyes, w/Tow Bar, 2G Pumper | 1 |
| 192 | 0895820 | | Construction, Compt, Alum, 2G Pumper | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 193 | 0023650 | | 152" Rollup FH Front & Rear FDLER | 1 |
| 194 | 0063658 | | 152" Rollup FH Front & Rear FDLER | 1 |
| 195 | 0692733 | | Doors, Rollup, Gortite, Side Compartments | 6 |
| | | | Qty, Door Accessory - 06 | |
| | | | Color, Roll-up Door, Gortite - Painted to Match Lower Body | |
| | | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| 196 | 0013671 | | 30.75" FF Rollup Rear Compt | 1 |
| 197 | 0692746 | | Door, Gortite, Rollup, Rear Compartment | 1 |
| | | | Color, Roll-up Door, Gortite - Satin finish | |
| | | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| 198 | 0554995 | | No Body Modification Required | 1 |
| 199 | 0616670 | | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker | 7 |
| | | | Qty, - 07 | |
| | | | Location, Compartment Lights - All Body Compts | |
| 200 | 0687135 | | Shelf Tracks, Unpainted | 5 |
| | | | Qty, Shelf Track - 05 | |
| | | | Location, Shelf Track - LS1, LS3, RS1, RS3 and B1 | |
| 201 | 0600350 | | 500 lb Adjustable Shelf | 5 |
| | | | Qty, Shelf - 05 | |
| | | | Material Finish, Shelf - Painted - Spatter Gray | |
| | | | Location, Shelves/Trays, Predefined - LS1-Transition Point, RS1-Transition Point, RS3-Transition Point, LS3-Transition Point and B1-Upper Third | |
| 202 | 0647091 | | Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides | 4 |
| | | | Qty, - 04 | |
| | | | Location, Tray Slide-Out, Floor Mounted - RS1, RS3, LS1 and LS3 | |
| | | | Material Finish, Tray - Painted - Spatter Gray | |
| 203 | 0024016 | | Rub Rail, Aluminum Extruded, Side & Rear of Body | 1 |
| 204 | 0784811 | | Fender Crowns, Rear, Stainless, w/Removable Liner | 1 |
| | | | Material Finish, Fender Liner - Painted Lower Body | |
| 205 | 0519849 | | Not Required, Hose, Hard Suction | 1 |
| 206 | 0626229 | | Handrails, Side Pump Panels, Per Print | 1 |
| 207 | 0004126 | | Handrails, Beavertail, Standard | 1 |
| 208 | 0610196 | | Handrail, Rear, Above Hose Bed, New York Style/Low Hose Bed | 1 |
| | | | Handrail Finish - Black Rubber Covered | |
| | | | Reinforcement, Hose Bed Divider - Tied to Upper Handrail/Crossbar | |
| 209 | 0657522 | | Compt, Air Bottle, Triple, Fender Panel | 2 |
| | | | Qty, Air Bottle Comp - 2 | |
| | | | Door Finish, Fender Compt - Painted | |
| | | | Location, Fender Compt - Triple - RS Fwd and Triple - RS Rear | |
| | | | Latch, Air Bottle Compt - Flush Lift & Turn | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| 210 | 0648325 | | Compt, Air Bottle, Double, Tri Door, Fender Panel | 2 |
| | | | Qty, Air Bottle Comp - 2 | |
| | | | Door Finish, Fender Compt - Painted | |
| | | | Location, Fender Compt - Double - LS Fwd - DEF Combo and Double - LS Rear - Fuel Combo | |
| | | | Latch, Air Bottle Compt - Flush Lift & Turn | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| 211 | 0004225 | | Ladder, 24' Duo-Safety 900A 2-Section | 1 |
| 212 | 0004230 | | Ladder, 14' Duo-Safety 775A Roof | 1 |
| 213 | 0049958 | | Ladders Between Tank & Side Sheet RS | 1 |
| | | | Material Trim/Scuffplate - a) 4-way alum, Bright | |
| | | | Door, Material & Finish, Ladder Storage - smooth aluminum | |
| | | | Latch, Door Ladder Storage - D-Handle latch | |
| | | | Hinge Location - Left Side | |
| 214 | 0014245 | | Ladder, 10' Duo-Safety Folding 585A, w/Mounting | 1 |
| | | | Location, Folding Ladder - Ladder Compartment | |
| 215 | 0602877 | | Pike Pole, Pumper, Provided by Fire Department, NFPA 2016 | 1 |
| | | | Pike Pole Make/Model - Akron 10' Pike Pole | |
| 216 | 0602875 | | Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016 | 1 |
| | | | Pike Pole Make/Model - Akron 6' Pike Pole | |
| 217 | 0004361 | | Tubes, Alum, Pike Pole Storage | 2 |
| | | | Qty, Pike Pole Tubes - 02 | |
| | | | Location, Pike Pole Tube - Ladder Storage | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 218 | 0785102 | | Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident | 1 |
| | | | Coating, Step - black | |
| | | | Location, Steps - Full Height Left and Right Side w/LED Light | |
| 219 | 0592994 | | Steps, Folding, Rear of Body, w/LED, Trident | 1 |
| | | | Coating, Step - black | |
| 220 | 0007545 | | 45" Control Zone Side Mount | 1 |
| 221 | 0037731 | | Pump House Structure, Raised, Included with Ladder Storage | 1 |
| 222 | 0004425 | | 1500 GPM CSU Waterous | 1 |
| 223 | 0004481 | | Seal, Grafoil, Waterous | 1 |
| 224 | 0559769 | | Trans, Pump, Waterous C20 Series | 1 |
| 225 | 0635600 | | Pumping Mode, Stationary Only | 1 |
| 226 | 0605126 | | Pump Shift, Air Mnl Override, Split Shaft, Interlocked, Waterous | 1 |
| 227 | 0003148 | | Transmission Lock-up, EVS | 1 |
| 228 | 0004547 | | Auxiliary Cooling System | 1 |
| 229 | 0014486 | | Not Required, Transfer Valve, Single Stage Pump | 1 |
| 230 | 0746501 | | Valve, Relief Intake, Elkhart | 1 |
| | | | Qty - 1 | |
| | | | Pressure Setting - 125 psig | |
| | | | Intake Relief Valve Control - Behind Right Side Pump Panel | |
| 231 | 0794959 | | Controller, Pressure, Pierce, Pump Boss, PBA300 | 1 |
| 232 | 0072153 | | Primer, Trident, Air Prime, Air Operated | 1 |
| 233 | 0780364 | | Manuals, Pump, (2) Total, Electronic Copies | 1 |
| 234 | 0602512 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone | 1 |
| 235 | 0795135 | | Plumbing, Stainless Steel, w/Foam System | 1 |
| 236 | 0004645 | | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 |
| 237 | 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 238 | 0084610 | | Valves, Akron 8000 series- All | 1 |
| 239 | 0016158 | | Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" | 1 |
| | | | Qty, Inlets - 1 | |
| 240 | 0004700 | | Control, Inlet, at Valve | 1 |
| 241 | 0004660 | | Inlet (1), Left Side, 2.50" | 1 |
| 242 | 0029147 | | Not Required, Inlet, Right Side | 1 |
| 243 | 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 244 | 0064116 | | No Rear Inlet Actuation Required | 1 |
| 245 | 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 246 | 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 247 | 0586174 | | Provision, Front Inlet | 1 |
| 248 | 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 249 | 0723049 | | Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle | 1 |
| 250 | 0029043 | | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing | 1 |
| 251 | 0004905 | | Outlet, Tank Fill, 1.50" | 1 |
| 252 | 0062133 | | Control, Outlets, Manual, Pierce HW if applicable | 1 |
| 253 | 0004940 | | Outlet, Left Side, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |
| 254 | 0005091 | | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 255 | 0092570 | | Not Required, Outlets, Left Side Additional | 1 |
| 256 | 0035094 | | Not Required, Elbow, Left Side Outlets, Additional | 1 |
| 257 | 0004945 | | Outlet, Right Side, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |
| 258 | 0025091 | | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 259 | 0092571 | | Not Required, Outlets, Right Side Additional | 1 |
| 260 | 0089584 | | Not Required, Elbow, Right Side Outlets, Additional | 1 |
| 261 | 0005047 | | Outlet, 4" w/4" Right, Handwheel | 1 |
| | | | Valve, Brand - Akron | |
| 262 | 0005097 | | Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz | 1 |
| | | | Qty, - 01 | |
| 263 | 0649939 | | Outlet, Front, 1.50" w/2" Plumbing | 1 |
| | | | Fitting, Outlet - 1.50" NST with 90 degree swivel | |
| | | | Drain, Front Outlet - Automatic | |
| | | | Location, Front, Single - in center bumper tray | |
| 264 | 0004995 | | Outlet, Rear, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 264 | | | Location, Outlet - b) left side | |
| 265 | 0045091 | | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 266 | 0092574 | | Not Required, Outlet, Rear, Additional | 1 |
| 267 | 0085695 | | Not Required, Elbow, Rear Outlets, Large, Additional | 1 |
| 268 | 0092573 | | Not Required, Outlet, Hose Bed/Running Board Tray | 1 |
| 269 | 0752097 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain | 1 |
| 270 | 0723042 | | Valve, 0.75" Bleeder, Discharges, "T" Swing Handle | 1 |
| 271 | 0005065 | | Outlet, 3.00" Deluge Riser | 1 |
| 272 | 0770359 | | No Monitor Requested, Customer/Dealer Furnished and Installed | 1 |
| | | | Fill in Blank - TBD | |
| 273 | 0029304 | | No Nozzle Req'd | 1 |
| 274 | 0005070 | | Deluge Mount, NPT | 1 |
| 275 | 0723726 | | Speedlay Module Not Required | 1 |
| 276 | 0722432 | | Hose Restraint Not Required, No Speedlay Module | 1 |
| 277 | 0723395 | | Speedlays, Not Required | 1 |
| 278 | 0723394 | | Speedlays, Not Required | 1 |
| 279 | 0029167 | | (2+) 1.50" Standard Capacity Crosslays | 2 |
| | | | Qty, Crosslays - 2 | |
| 280 | 0090442 | | 2.50" Standard Capacity Crosslay | 1 |
| 281 | 0623374 | | Hose Restraint, Crosslays, 2" Nylon Web, Seat Belt Buckle, Tether, Bar, Sides | 3 |
| | | | Qty, - 03 | |
| | | | Color, Strap - Orange | |
| 282 | 0029260 | | No Speedlays | 1 |
| 283 | 0750536 | | Hose Restr, Spdly, Not Required, No Spdly | 1 |
| 284 | 0590891 | | Hose Restraint, Crosslay/Deadlay, Velcro Straps, Top | 2 |
| | | | Qty, - 02 | |
| 285 | 0019853 | | Crosslays, 8.00" Lower Than Standard - Control Zone w/9.00" Raised PH | 1 |
| 286 | 0739010 | | Plumbing for Future Foam Sys, Husky 3/12 Single Agent | 1 |
| | | | Fill in Blank - three crosslays, front bumper outlet, rear 2.50" outlet. | |
| 287 | 0012126 | | Not Required, CAF Compressor | 1 |
| 288 | 0592527 | | Refill, Foam Tank, Integral, Husky 3 | 1 |
| 289 | 0031896 | | Demonstration, Foam System, Dealer Provided | 1 |
| 290 | 0022539 | | Foam Cell, 20 Gallon, Reduce Water | 1 |
| | | | Type of Foam - Class "A" | |
| 291 | 0091036 | | Drain, 1.00" Foam Tank #1 | 1 |
| 292 | 0091079 | | Not Required, Foam Tank #2 | 1 |
| 293 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 294 | 0738072 | | Approval Dwg, Pump Panel(s), Not Required | 1 |
| 295 | 0032479 | | Pump Panel Configuration, Control Zone | 1 |
| 296 | 0629252 | | Material, Pump Panels, Side Control Black Vinyl | 1 |
| | | | Material Finish, Pump Panel, Side Control - Black Vinyl | |
| | | | Material, Pump Panel, Side Control - Aluminum | |
| 297 | 0721765 | | Panel, Pump Access - Right Side Only, Side Control | 1 |
| | | | Latch, Pump Panel Access, Side Mount - Swell Latch, Black | |
| 298 | 0583824 | | Light, Pump Compt, WIn 3SC0CDCR LED White | 1 |
| | | | Qty, - 01 | |
| 299 | 0586382 | | Gauges, Engine, Included With Pressure Controller | 1 |
| 300 | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |
| 301 | 0739224 | | Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle, Green | 1 |
| 302 | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| 303 | 0745568 | | Indicator Light, Pump Panel, Ok To Pump, Green | 1 |
| 304 | 0511078 | | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 |
| 305 | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| 306 | 0062586 | | Gauge, Water Level, Class 1, Pierce Std | 1 |
| 307 | 0659235 | | Provision for Gauge, Foam Level, (1) Tank, Class 1, Future Foam Sys, Stock Unit | 1 |
| 308 | 0593161 | | Light Shield, S/S LED | 1 |
| 309 | 0606694 | | Air Horns, (2) Hadley, 6" Round, eTone, In Bumper | 1 |
| 310 | 0606834 | | Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6) | 1 |
| 311 | 0757092 | | Control, Air Horn, Multi Select | 1 |
| 312 | 0757076 | | Control, Air Horn, Lanyard, RS | 1 |
| | | | Lanyard - Vinyl Covered .12" cable | |
| 313 | 0757080 | | Control, Air Horn, Ft Sw, RS | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 314 | 0533071 | | Siren, WIn 295SLSC1, 100 or 200 Watt, w/Plug-in/Detachable Microphone Cord | 1 |
| 315 | 0790527 | | Location, Electronic Siren, Center Dash Switch Panel, Saber FR | 1 |
| | | | Location, Electronic Siren - switch panel # 8 | |
| 316 | 0076156 | | Control, Elec Siren, Head Only | 1 |
| 317 | 0601306 | | Speaker, (1) WIn, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt | 1 |
| | | | Connection, Speaker - siren head | |
| 318 | 0601555 | | Location, Speaker, Frt Bumper, Recessed, Left Side, Outside Frame,Outbrd (Pos 7) | 1 |
| 319 | 0895310 | | Siren, Federal Q2B | 1 |
| | | | Finish, Q2B Siren - Chrome | |
| 320 | 0006095 | | Siren, Mechanical, Mounted Above Deckplate | 1 |
| | | | Location, Siren, Mech - a) Left | |
| 321 | 0748305 | | Control, Mech Siren, Multi Select | 1 |
| 322 | 0748282 | | Control Mech Siren, Ft Sw LS | 1 |
| 323 | 0748281 | | Control Mech Siren, Ft Sw RS | 1 |
| 324 | 0740391 | | Sw, Siren Brake, Momentary Chrome Push Button, RS | 1 |
| 325 | 0746353 | | Not Required, Warning Lights Intensity | 1 |
| 326 | 0608632 | | Lightbar, WIn, Freedom IV-V, 72", R_R_R__R__R_R_R | 1 |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 327 | 0540384 | | Lights, Front Zone, WIn M6*C LED, Clear Lens, in Common Bzl | 1 |
| | | | Color, Lt DS Front - Red | |
| | | | Color, Lt PS Front - Red | |
| 328 | 0540692 | | Side Zone Lower Lights, Whelen M6 | 1 |
| | | | Location, Lights Front Side - b)each side bumper | |
| | | | Color, Lt Side Front - Red | |
| | | | Color, Lt Side Middle - Red | |
| | | | Color, Lt Side Rear - Red | |
| | | | Location, Lights Mid Side - Over Front Wheels - Centered | |
| | | | Location, Lights Rear Side - Centered Above Rear Wheels | |
| 329 | 0564655 | | Lights, Rear Zn Lwr, WIn M6*C LED, Clear Lens, For Tail Lt Housing | 1 |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| | | | Color, Lt PS Rear - r) PS Rear Lt Red | |
| 330 | 0088745 | | Light, Rear Zone Up, WIn L31HRFN LED Beacon, Red LED | 1 |
| | | | Color, Dome, Rear Warning - j) both domes clear | |
| 331 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 332 | 0006615 | | Mtg, Rear Warn Lts, On Top of Compt | 1 |
| 333 | 0671685 | | Mounting Provisions, Will-Burt Night Scan, Powerlite NS 3.0 10', Cab | 1 |
| 334 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 335 | 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 |
| 336 | 0007150 | | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| 337 | 0602516 | | NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department | 1 |
| 338 | 0602407 | | Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification | 1 |
| 339 | 0027023 | | No Strainer Required | 1 |
| 340 | 0602538 | | Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department | 1 |
| 341 | 0602360 | | Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016,Provided by Fire Dept | 1 |
| 342 | 0602679 | | Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| 343 | 0602667 | | Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| 344 | 0607712 | | Paint Process/Environmental | 1 |
| 345 | 0601367 | | Single Color Cab Paint | 1 |
| | | | Paint Color, Saber, PMFD - #90 Red | |
| 346 | 0646897 | | Paint Chassis Frame Assy, E-Coat, Standard | 1 |
| | | | Paint Color, Frame Assembly, Predefined - Gloss Black | |
| 347 | 0693798 | | Paint, Front Wheels | 1 |
| | | | Paint, Wheels - Black #101 | |
| 348 | 0693793 | | Paint, Rear Wheels, Single Axle | 1 |
| | | | Paint, Wheels - Black #101 | |
| 349 | 0733739 | | Paint, Axle Hubs | 1 |
| | | | Paint, Axle Hub - Black #101 | |
| 350 | 0007230 | | Compartment, Painted, Spatter Gray | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 351 | 0544129 | | Reflective Band, 1"-6"-1" | 1 |
| | | | Color, Reflect Band - A - a) white | |
| | | | Color, Reflect Band - B - l) white | |
| | | | Color, Reflect Band - C - w) white | |
| 352 | 0007356 | | Reflective across Cab Face | 1 |
| 353 | 0536954 | | Stripe, Chevron, Rear, Diamond Grade, Pumper | 1 |
| | | | Color, Rear Chevron DG - fluorescent yellow green | |
| 354 | 0593225 | | Stripe, Reflective, Cab Doors Interior, Diamond Grade | 1 |
| | | | Color, Reflect Band - A - p) fluorescent yellow green diamond grade | |
| 355 | 0027286 | | Not Required, Lettering Specs | 1 |
| 356 | 0007472 | | [Lettering not Requested] | 1 |
| 357 | 0772003 | | Manual, Fire Apparatus Parts, USB Flash Drive, Custom | 1 |
| | | | Qty, - 01 | |
| 358 | 0772037 | | Manual, Chassis Service, USB Flash Drive, Custom | 1 |
| | | | Qty, - 01 | |
| 359 | 0772065 | | Manual, Chassis Operation, (2) USB Flash Drives, Custom | 1 |
| 360 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 361 | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 |
| 362 | 0684952 | | Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202 | 1 |
| 363 | 0596017 | | Warranty, Frame, 50 Year, Custom Chassis, WA0013 | 1 |
| 364 | 0610471 | | Warranty, Axle, Eaton/Dana, 5 Year/100,000 Mile, Parts and Labor | 1 |
| 365 | 0610485 | | Warranty, Axle, Eaton/Dana, 5 Year/100,000 Mile, Parts and Labor | 1 |
| 366 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 367 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 368 | 0595813 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| 369 | 0660535 | | Not Required, Warranty, Electrical System | 1 |
| 370 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 371 | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |
| 372 | 0046369 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| 373 | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 |
| 374 | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 375 | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 |
| 376 | 0693127 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| 377 | 0734463 | | Warranty, Pump, Waterous, 7 Year Parts, WA0382 | 1 |
| 378 | 0648675 | | Warranty, 10 Year S/S Pumping, WA0035 | 1 |
| 379 | 0641372 | | Warranty, Foam System, Not Available | 1 |
| 380 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 381 | 0593921 | | Not Required, Warranty, No Lettering | 1 |
| 382 | 0683627 | | Certification, Vehicle Stability, CD0156 | 1 |
| 383 | 0736238 | | Certification, Engine Installation, Saber FR/Enf, Cummins L9, 2021 | 1 |
| 384 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 385 | 0631980 | | Certification, Cab Integrity, Saber FR/Enforcer, CD0130 | 1 |
| 386 | 0631973 | | Certification, Cab Door Durability, Saber FR/Enforcer, CD0137 | 1 |
| 387 | 0631978 | | Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132 | 1 |
| 388 | 0556828 | | Certification, Electric Window, Not Available | 1 |
| 389 | 0631977 | | Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134 | 1 |
| 390 | 0735949 | | Certification, Cab HVAC System Performance, SFR/Enf, CD0165/CD0167/CD0174/CD0175 | 1 |
| 391 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 392 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 393 | 0799247 | | Appleton/Florida Stock Unit | 1 |
| 394 | 0000017 | | FLORIDA DIVISION BODY | 1 |
| 395 | 0000012 | | PIERCE CHASSIS | 1 |
| 396 | 0004713 | | ENGINE, OTHER | 1 |
| 397 | 0046395 | | EVS 3000 Series TRANSMISSION | 1 |
| 398 | 0020011 | | WATEROUS PUMP | 1 |
| 399 | 0020009 | | POLY TANK | 1 |
| 400 | 0028048 | | FOAM SYSTEM | 1 |
| 401 | 0020006 | | SIDE CONTROL | 1 |
| 402 | 0020007 | | AKRON VALVES | 1 |
| 403 | 0020015 | | ABS SYSTEM | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--------------------|-----|
| 404 | 0755450 | | PIERCE MFG BODY | 1 |



PERFORM. LIKE NO OTHER.

MINNESOTA ILLINOIS INDIANA MISSOURI NEBRASKA NORTH DAKOTA SOUTH DAKOTA

EM-102

April 25, 2023

Chief Kent Adams
Village of Romeoville Fire Department
13 Montrose Drive
Romeoville, IL 60446

Subject: **Proposal for one (1) Pierce Saber Pumper
Proposal / Bid 671 - Stock 39384**

Dear Chief Adams,

With regard to the above subject, please find attached our completed proposal.

Pricing Summary:

Sale Price – **\$702,900.00**

Terms and Conditions:

Taxes – Not Applicable

Freight – F.O.B. – Bradenton, FL / Shipping to Romeoville, IL

Terms – Net due prior to vehicle(s) release at the Pierce Manufacturing Plant (Bradenton, FL).

Delivery – Estimated August-September 2023 from receipt and acceptance of contract.

Stock Unit – Availability is subject to prior sale.



**MACQUEEN
EMERGENCY**



PERFORM. LIKE NO OTHER.

MINNESOTA ILLINOIS INDIANA MISSOURI NEBRASKA NORTH DAKOTA SOUTH DAKOTA

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or international conflicts, or other causes beyond our control not preventing, could alter the delivery schedule.

The specifications herein contained, shall form a part of the final contract, and are subject to changes as desired by the purchaser, provided such changes are acknowledged and agreed to in writing by the purchaser.

This proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications.

The attached proposal is valid thirty (30) days. *Stock unit subject to prior sale.*

We trust the above and the enclosed to be full and complete at this time; however, should you have any questions or require additional information, please do not hesitate to contact me at 815-693-9015 or vince.baudek@macqueengroup.com.

We wish to thank the Village of Romeoville Fire Department for the opportunity to submit our proposal.

Respectfully,

Vince Baudek

Vince Baudek
Apparatus Sales
MacQueen Equipment LLC
DBA MacQueen Emergency Group