

# PARKREATION, INC

## 27 East Palatine Road, Prospect Heights, IL 60070

March 12, 2026

Village of Romeoville Parks and Recreation  
 900 Romeo Road  
 Romeoville, IL 60446

Quotation Number: P031226A  
 Project Name: Romeo Crossing Park – ICON Shelters  
 Quoted By: Paul Gozder 815-735-1497  
 Sourcewell contract # 092325-ICON  
 (Purchased by owner – offloading and installation by contractor)

<u>QTY.</u>	<u>Product #</u>	<u>Description</u>	<u>All pricing is valid for 60 days</u>	<u>Total Price</u>
01	UC8x12TS-P4	Custom Craftsman 8' x 12' (2) column design by ICON Shelters CC7-10 quad columns with pedestal base (6" buried) with curved corbels 8' eave height with 4:12 roof pitch 2" x 6" untreated tongue and groove wood decking Standing Seam metal roof over T&G e-Coat / powder coat color / gloss finish with standard colors anchor bolts / template / necessary hardware included. (3) electrical cut out in column (2) and overhead light cut out (1)		\$ 36,200.00
		Material cost		\$ - 3,620.00
		Sourcewell co-op discount applied		\$ 32,580.00
		Sub-Total		\$ 250.00
		Illinois stamped Engineered Drawings		\$ 1,300.00
		Shipping		\$ 34,130.00
		Total		\$ 34,130.00

1. \*We understand that all accounts are payable to Parkreation, Inc. according to the terms of their invoice, and if not paid on or before said date, are then delinquent. \*We agree to pay any and all service charges added each month to past due invoices. Terms are Net 30 days upon delivery with approved credit. All charges are due and payable in full at Parkreation, Inc., 27 E. Palatine Rd., Prospect Heights, IL 60070 unless notified in writing to the contrary. To the extent the terms and conditions of any purchase order/contract and/or any purchase order/contract confirmations are inconsistent with the terms and conditions of this signed quote, the terms and conditions of this signed quote shall prevail.  
 2. All pricing is valid for 30 days from the date above.  
 3. The above pricing (if more than one item) is based upon a package purchase. Any adjustments may be subject to a price revision.  
 4. Customer is responsible for the off-loading of the equipment and an accurate inventory should be taken at the time and all missing or damaged parts should be noted to the Driver. You have 60 days to report any missing or damaged parts to your sales representative. Truck Driver will not unload equipment.  
 5. Nontaxable entities are required to provide copy of tax exempt certificate or be taxed upon invoice.  
 6. Installation not included unless specifically quoted

Date \_\_\_\_\_ Purchaser's Signature \_\_\_\_\_ Purchaser's Title \_\_\_\_\_  
 Email Address \_\_\_\_\_ Special Instructions \_\_\_\_\_  
 Ship to address \_\_\_\_\_






Elevation

DRAWN BY:	LB
DATE:	10/24/13
JOB NO.:	STANDARD
REVISION:	
BUILDING TYPE:	UC8x12TS-P4
PROJECT NAME:	30-100-35 C67-10 COLUMNS GABLE END ORN CORBELLS

SHEET  
1.0

PRELIMINARY: NOT FOR  
CONSTRUCTION





THESE FOUNDATION LOADS ARE FOR ESTIMATING PURPOSE ONLY. THE ACTUAL LOADS WILL BE DETERMINED IN THE FINAL ENGINEERING

LOAD COMBINATION	FOUNDATION LOADS			
	AXIAL (F <sub>x</sub> )	SHEAR (F <sub>y</sub> )	SHEAR (F <sub>z</sub> )	MOMENT (M <sub>z</sub> )
DL	0.91	-0.05	0.00	-2.00
SL	1.74	-0.14	0.00	-5.46
W-UPLIFT	-1.04	0.32	0.00	19.32
W-FY	-1.04	0.32	0.00	19.32
W-FZ	0.50	0.04	-0.23	1.67
E-FY	-0.23	0.35	0.00	23.00
E-FZ	0.00	0.00	-0.35	39.80
				0.00

- NOTES:
- TABLE SHOWS UNFACTORED SERVICE LOADS
  - A FOUNDATION DESIGN HAS NOT BEEN PERFORMED BY ICON SHELTER SYSTEMS INC
  - A LICENSED ENGINEER FAMILIAR WITH SOIL CONDITIONS AT CONSTRUCTION SITE MUST BE CONSULTED FOR FOUNDATION DESIGN
  - THE STRUCTURE HAS BEEN ENGINEERED AS AN OPEN STRUCTURE.
  - CONSULT ICON SHELTER SYSTEMS INC. IF THE STRUCTURE IS TO BE ENCLOSED.
  - COORDINATES ARE LOCAL TO THE COLUMN
- DEFINITIONS:
- DL = SERVICE LEVEL DEAD LOAD REACTION WITH THE GREATEST AXIAL LOAD
  - SL = SERVICE LEVEL SNOW LOAD REACTION WITH THE GREATEST AXIAL LOAD
  - W-UPLIFT = SERVICE LEVEL WIND UPLIFT REACTION WITH THE GREATEST MAGNITUDE OF SHEAR IN THE LOCAL Y DIRECTION
  - W-FY = SERVICE LEVEL WIND FORCE REACTION WITH THE GREATEST MAGNITUDE OF SHEAR IN THE LOCAL Y DIRECTION
  - W-FZ = SERVICE LEVEL WIND FORCE REACTION WITH THE GREATEST MAGNITUDE OF SHEAR IN THE LOCAL Z DIRECTION
  - E-FY = SERVICE LEVEL SEISMIC LOAD REACTION WITH THE GREATEST MAGNITUDE OF SHEAR IN THE LOCAL Y DIRECTION
  - E-FZ = SERVICE LEVEL SEISMIC LOAD REACTION WITH THE GREATEST MAGNITUDE OF SHEAR IN THE LOCAL Z DIRECTION



PRELIMINARY: NOT FOR CONSTRUCTION



**ICON**  
 Shelter Systems Inc  
 STRUCTURAL STEEL SHEET PILING  
 COMPANY (SSA ICON) SHELTER SYSTEMS, INC.  
 1455 INVERNAVE  
 HOLLAND MI-49423  
 616-291-0919  
 616-291-0920  
 616-396-9414 FX

Anchor Bolt Layout


DRAWN BY: LB  
 DATE: 10/24/13  
 JOB NO.: STANDARD  
 REVISION:  
 BUILDING TYPE: UC8x12IS-P4  
 PROJECT NAME: --30-100-35 C67-10 COLUMNS GABLE END ORN CORBELLS

SHEET 2.0





PRELIMINARY: NOT FOR CONSTRUCTION



Frame

**ICON**  
Shelter Systems Inc  
DISTINCTIVE STEEL SHELTERS  
WWW.SHELTERFORUM.COM  
CORPORATE OFFICE  
1565 LINDEN AVE  
HOLLAND, MI 49423  
616-396-0919  
800-728-6988  
616-396-0919

Frame

DRAWN BY: LB  
DATE: 10/24/13  
JOB NO.:  
STANDARD:  
REVISION:


BUILDING TYPE: UC8x12TS-P4  
PROJECT NAME: 30-100-35 CC7-100-35 COLUMNS GABLE END ORN CORBELS

SHEET 3.0


ALL STRUCTURAL COMPONENTS WILL BE:  
TUBE: ASTM A500 GRADE B  
PLATE: ASTM A36  
BOLTS: ASTM A325  
NUTS: ASTM A563  
WELDING: GMAW

NOTE:  
COLUMN SIZE: CC7-10 WELDMENT


**EASINERS**



2" DECK SCREW



3/4" WOOD TO METAL SCREW



5 1/2"





TONGUE & GROOVE BOARD SECTION

NOTE: STANDARD DETAILS SHOWN  
ACTUAL BUILDING MAY VARY

3/4" WOOD TO METAL SCREW (2) PER BOARD ALONG RIDGE BEAM

3/4" WOOD TO METAL SCREW (2) PER BOARD ALONG PURLIN (IF REQ'D)

3/4" WOOD TO METAL SCREW (2) PER BOARD ALONG TIE BEAM



PRELIMINARY: NOT FOR  
CONSTRUCTION

**ICON**  
Shelber Systems Inc  
DISTINCTIVE STEEL SHELTORS  
UNIQUE DESIGNER FOR ICON  
CORPORATION  
1455 LINCOLN AVE  
HOLLAND MI 49423  
616-360-0919  
800-743-0885  
E.C. 360947 PA

Roof Layout

DRAWN BY:	LB
DATE:	10/24/13
JOB NO.:	STANDARD
REVISION:	
BUILDING TYPE:	UC6x12TS-P4
PROJECT NAME:	30-100-35 CG7-10 COLUMNS GABLE END ORN CORBELS

SHEET  
4.0





Roof Layout

DRAWN BY: LB  
 DATE: 10/24/13  
 JOB NO.: STANDARD  
 REVISION:


BUILDING TYPE: UC8x12TS-P4  
 PROJECT NAME: 30-100-35 CC7-10 COLUMNS GABLE END ORN CORBELS

SHEET 4.1

PRELIMINARY: NOT FOR CONSTRUCTION



NOTE: STANDARD DETAILS SHOWN  
 ACTUAL BUILDING MAY VARY



\*\*INSTALLER TO FIELD CUT ALL ROOF PANELS\*\*

# ICON Colors and Materials



## Wood Frame and Roof Decking Finish Options

A high-quality, richly pigmented stain and sealer that provides long-lasting beauty and wood protection.



## Standard Steel Roof Colors

Kynar 500 coated roof panels with 24-gauge Galvalume substrate. The underside of the roofing material is a standard white wash color.



## Powder Coat Colors

ICON carries over 19 powder coat colors to match any aesthetic. Our durable TGIC powder coat over a liquid epoxy primer on every steel member.



ICON's design inspired color and material choices create endless color combinations and possibilities. Our dedicated designers and engineers work with the best wood, steel and powder coat colors in the industry to bring your artistic dream to a reality.

**ICON**  
Shelter Systems Inc

1455 Lincoln Avenue  
Holland, MI 49423  
(800) 748-0985  
info@iconshelters.com  
www.iconshelters.com

# Wood Frame and Roof Decking Finish Options




Black Oak



Black Walnut



Brick Red



Cape Cod  
Gray



Cedar  
Naturaltone



Chestnut  
Brown



Cinder



Coffee



Dark Ash



Dark Bark




Dark  
Mahogany



Dark Oak



Driftwood  
Gray



Ebony




Espresso



Light  
Mocha



Mushroom



Outside  
White



Oxford  
Brown



Redwood



Royal  
Mahogany



Russet



Rustic  
Cedar



Sierra



Storm Gray



Teak



Timberline



Tobacco



Walnut



White Birch

\*actual colors may vary from physical samples  
\*physical samples are available upon request

# Standard Steel Roof Colors



Regal White

Bone White

Surrey Beige



Sandstone



Almond



Ash Gray



Slate Gray



Charcoal



Matte Black



Medium Bronze



Patina Green



Evergreen



Hartford Green



Mansard Brown



Dark Bronze



Patrician Bronze



Tudor Brown



Buckskin



Colonial Red



Brandywine



Brite Red



Terra Cotta



Casco Orange



Regal Blue



Roman Blue



Light Stone

\*actual colors may vary from physical samples

\*physical samples are available upon request

# Standard Steel

## Roof Colors- Metallics



Silver  
Metallic




Galvalume  
Plus



Copper Penny  
Metallic



Preweathered  
Galvalume



Texas Silver  
Metallic



Champagne  
Metallic


# Powder Coat Colors



RAL 1001  
Beige



RAL 1013  
Oyster White



RAL 1019  
Grey Beige



RAL 1023  
Traffic Yellow



RAL 3001  
Signal Red



RAL 3009  
Oxide Red



RAL 5001  
Green Blue



RAL 5005  
Signal Blue



RAL 5015  
Sky Blue



RAL 5020  
Ocean Blue



RAL 5024  
Pastel Blue




RAL 6003  
Olive Green



RAL 6005  
Moss Green



RAL 6013  
Reed Green



RAL 6021  
Pale Green



RAL 6028  
Pine Green



RAL 7012  
Basalt Grey



RAL 7040  
Window Grey



RAL 7044  
Silk Grey



RAL 8003  
Clay Brown



RAL 8017  
Chocolate Brown



RAL 8019  
Grey Brown



ICON Black  
No Clear



PCT29118  
Brown Texture



PCT29101  
Bronze Texture



AKZO 21-7001  
Black Texture



RAL 9005  
Jet Black  
(Glossy)



RAL 9016  
Traffic White

\*actual colors may vary from physical samples

\*physical samples are available upon request

# Standard Style Downspout Color Options



Ash Gray



Brite Red



Hartford Green



Regal Blue



Regal White



Surrey Beige



Tudor Brown



Light Stone



Copper Penny



Patrician Bronze



Brandy wine



Patina Green



Roman Blue\*



Galvalume Plus



Charcoal



Evergreen



Matte Black

# Roofing & Gutter Color Options



Ash Gray



Bone White



Light Stone



Regal White



Sandstone



Charcoal



Tudor Brown



Dark Bronze



Brandy wine\*



Slate Gray



Evergreen



Matte Black



Patina Green\*



Roman Blue



Brite Red



Colonial Red



Casco Orange



Regal Blue



Medium Bronze



Almond



Patrician Bronze



Terra Cotta



Texas Silver Metallic



Galvalume Plus



Copper Penny Metallic



Champagne Metallic



Silver Metallic



Preweathered Galvalume



Hartford Green



Mansard Brown



Buckskin

\*Available in 24ga roofing only

Upgrade to Architectural Downspouts for Limitless Color Opportunities \*charges apply\*



Distinctive Steel Shelters

## Standard Recycled Plastic Lumber Colors



***Island Mist***



***Spiced Rum***

ICON offers two composite decking colors. Perfect for our Trail Series Shelters and Bridges.

\*actual colors may vary from physical samples

\*physical samples are available upon request