



1051 W 7th Street  
 Monroe, WI 53566  
 Sales Rep: Tom Markel  
 Ph: (331) 229-0744  
 www.MonroeTruck.com

**J.O. #**  
 Quotation ID: 9BD000042-2  
 Date: 5/4/2023  
 Valid thru: 6/3/2023  
 Terms: NET 30  
 Quoted by: Bob Drews  
 Ph/Fax: 815-280-4237 / 815-727-5429

Quoted to:  
 ROMEOVILLE, VILLAGE OF (ATTN: MIKE BRAASCH)  
 PUBLIC WORKS DEPARTMENT  
 615 ANDERSON DRIVE  
 ROMEOVILLE, IL 60446  
 Ph: 815-886-7200 / Fax: 815-886-2762  
 Email: mbraasch@Romeoville.org

**SINGLE AXLE PATROL UNIT**

Chassis Information

Year: 2024	Make: KENWORTH	Model: T480	Chassis Color:	Cab Type: REGULAR
Single/Dual: DRW	CA: 0.0	CT:	Wheelbase:	Engine: DIESEL
			F.O. Number #:	Vin:

**\*\* Due to current Market Conditions, if the Chassis will not be on-ground at Monroe Truck Equipment within 240 calendar days of order date, we will require a minimum 50% down payment before the 210th day. If you are not able to provide a down payment, your Municipality could be subject to a Minimum of 3% - 5% price increase on bid price at time of invoice!**

Signed: \_\_\_\_\_ Order Date: \_\_\_\_\_ Down Payment Due Date: \_\_\_\_\_

Monroe Truck Equipment, Inc. is pleased to offer the following quote for your review:

Description	Amount
<b>SOURCEWELL CONTRACT # 062222-AEB (SKU# 9TRR000693)</b>	

- 10' STAINLESS STEEL CRYSTEEL DUMP BODY WITH MARATHON HOIST
- FRONT: 44", 7GA 304 STAINLESS STEEL WITH #4 FINISH
- SIDES: 26", 7GA 304 STAINLESS STEEL WITH #4 FINISH
- REAR: 36", 7GA 304 STAINLESS STEEL WITH #4 FINISH
- IL. STYLE 1/2 X 7 GA. X 78" CAB SHIELD 100% WELDED - # 4 FINISH
- SIDE BOARDS - 10 INCH HIGH X 10FT LONG - ", 7GA 304 STAINLESS STEEL WITH #4 FINISH - BOLTED IN
- FLOOR: 1/4" AR400
- STRAIGHT REAR STYLE / NON-ASPHALT REAR
- CENTER DRUM STYLE PATCHGATE
- AIR RELEASE TAILGATE LATCHES
- WESTERN UNDERSTRUCTURE
- TWO (3 ) RUNG PULL-OUT ACCESS LADDER AND GRAB HANDLE - STAINELSS STEEL
- ADDITIONAL SS STEP MOUNTED BEWTEEN THE LOWER WALKRAIL AND UPPER RUB RAIL
- LEFT FRONT AND RIGHT FRONT
- YELLOW REFLECTIVE SIDES OF BODY - LOWER RUBRAILS
- ( 1 ) SET RUBBER REAR FLAPS MOUNTED BEHIND THE REAR DRIVES
- ( 1 ) SET OF BODY MOUNTED RUBBER FLAPS IN FRONT OF REAR DRIVES
- VIBRATOR, DC3200
- INSTALLED

- CRYSTEEL MODEL M5390 MARATHON TRUNION MOUNT HOIST
- DOUBLE ACTING TRUNION MOUNTED CYLINDER
- BODY PROP
- GREASABLE REAR HINGE ASSEMBLY
- BODY UP SWITCH ( WISKER STYLE ) AND LIGHT
- INSTALLED

- TOWING
- 1" PINTLE PLATE
- PINTLE HOOK - W/MOUNTING, 50 TON SINGLE AXLE - MODEL 2200
- 7 WAY RV STYLE TRAILER CONNECTOR
- ELECTRIC BRAKE CONTROL
- BACK UP ALARM

LIGHTS - WHELEN, JUSTICE SUPER LED ILL STROBE SYSTEMS, 72" LIGHT BAR



Description

Amount

- 72" JUSTICE LED LIGHT BAR MOUNTED ON ROOF
- WHELEN LED S/T/T ON PINTLE PLATE AND ON TOP OF CAB SHIELD
- WHELEN AMBER AND CLEAR WHELEN STROBES ON CABSHIELD FACING TO THE REAR
- (2) WHELEN AMBER AND (1) CLEAR STROBE INSTALLED OUTSIDE THE CORNER POST ON EACH SIDE IN STAINLESS STEEL BOXES
- 2-YEAR WARRANTY
- L.E.D. S/T/T LIGHTS RECESSED IN REAR CORNER POST
- LED BACK UP LIGHTS MOUNTED IN REAR CORNER POST
- L.E.D. MARKER LIGHTS
- (2) L.E.D.SPREADER LIGHTS MOUNTED OFF THE LOWER REAR RUBRAIL OF THE DUMP BODY
- ENGINEERED ELECTRICAL DRAWINGS

PLOW HITCH

- MC7082 QUICK HITCH
- 4 X 10 DA LIFT CYLINDER
- SIDE PLATE KIT SPECIFICALLY DESIGNED FOR PETERBUILT CHASSIS WITH PROPER REINFORCEMENT
- O.E.M. BUMPER CUT AND REINSTALLED
- L.E.D. PLOW LIGHTS (ABL)
- L.E.D. W/ PROJECTION TYPE LENSES
- DUAL BURN HIGH BEAM
- PLASTIC HOUSING, BLACK
- INCLUDES AMBER L.E.D. TURN SIGNALS
- MOUNTED WITH STAINLESS STEEL BRACKETS ON HOOD AREA

MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW  
STANDARD EQUIPMENT:

MODEL MP41R10-CT

- 10 GAUGE ROLL FORMED STRAIGHT MOLDBOARD
- (6) 1/2" X 4" TAPERED, ONE-PIECE FLAME CUT RIBS
- 2" X 3" X 3/8" TOP MOLDBOARD ANGLE
- 4" X 4" X 3/4" BOTTOM MOLDBOARD ANGLE
- HORIZONTAL MOLDBOARD BRACE ANGLES
- 5/8" X 8" ONE-PIECE TOP PUNCH CUTTING EDGE
- DUAL COMPRESSION TRIP SPRING ASSEMBLIES
- 4" X 4" X 3/8" CROSS-TUBE SUPPORT
- 3-1/2" X 3-1/2" X 1/2" SEMI-CIRCLE
- (2) 3" X 10" DOUBLE ACTING POWER REVERSE CYLINDERS WITH CUSHION VALVE
- BUILT-IN MONROE LEVEL LIFT ASSEMBLY
- PAIR OF WRAP AROUND CURB GUARDS
- PAIR OF 36" FLUORESCENT MARKERS
- 12" RUBBER SNOW DEFLECTOR
- SCREW ADJUSTABLE PARKING JACK
- MC6000 PLOW PORTION QUICK HITCH
- MOLDBOARD AND PUSHFRAME 100% CONTINUOUSLY WELDED
- MOLDBOARD POWDER COATED ORANGE
- PUSH FRAME POWDER COATED BLACK
- INSTALLED

10' MONROE V-BOX SPREADER 10' LONG X 56" HIGH X 84" WIDE (STAINLESS STEEL)

STANDARD EQUIPMENT:

- 10' L X 84" W X 56" H
- 6.5 CUBIC YARD CAPACITY
- 304 STAINLESS STEEL CONSTRUCTION
- 10 GAUGE HOPPER
- 7 GAUGE FORMED LONG-SILLS SLOTTED
- 7" DAUL AUGERS WITH PLANITARY DRIVE
- 4-CORNER LIFT SYSTEM
- SPEED SENSOR IN AUGER MOTOR FOR CLOSED LOOP GRANULAR
- BOLT-IN MILD STEEL TOP GRATE KIT WITH STAINLESS STEEL HARDWARE
- STAINLESS STEEL INVERTED -V KIT
- GREASE EXTENSION KIT
- STAINLESS STEEL FRONT AND REAR SPILL SHIELD KIT . ABOUT 16" LONG PLACED AT A 30 DEGREE ANGLE
- RUBBER SPILL FLAPS ADDED TO THE SIDES OF THE SPREADER HOPPER THAT EXTENDS DOWN OVER THE TOP RAIL OF THE DUMP BODY

**Description**

**Amount**

- STAINLESS STEEL SKID ASSEMBLY WITH IN-BOARD SPINNER , FOLD DOWN LEG KIT AND MOUNTING KIT
- INSTALLED
- V-BOX TO BE BUILT WITH A SLOPED FRONT OR NOTCHED FRONT TO FIT IN A DUMP BODY WITH A TELESCOPIC HOIST

- CLOSED LOOP HYDRAULIC PREWET KIT - 250 GALLONS TOTAL
- 7 GPM HYDRAULIC PUMP W/ 14" X 7" X 6.5" ENCLOSURE AND PLUMBING KIT
  - MICRO TRAK FLOW METER FOR CLOSED LOOP OPERATION
  - (2) 125 GALLON TANKS - V-BOX MOUNTED W/ 304 SS BRACKETS
  - FLUSH KIT
  - CROSSOVER KIT
  - 2" BULK FILL KIT
  - SPRAY BAR KIT FOR LIQUID MOUNTED TO THE BOTTOM SIDE OF THE INVERTED "V"
  - INSTALLED

**ELECTRIC HYDRAULICS PACKAGE  
STANDARD EQUIPMENT:]**

- HOT SHIFT PTO
- TXV92 LOAD SENSE PUMP - MOUNTED TO PTO
- LOW OIL SHUTE DOWN KIT
- HOIST: 4 WAY/3POS, W/500 PSI A PORT RELIEF, 40 GPM
- MANUAL LOAD SENSE MID-INLET SECTION, 2500 PSI MAIN RELIEF
- PLOW LIFT: 4 WAY/3POS, 20 GPM, ELEC
- PLOW ANGLE: 4 WAY/3POS, 20 GPM, ELEC
- AUGER: 2 WAY, 14 GPM , ELEC
- SPINNER: 2 WAY, 7 GPM ELEC
- PRE-WET: 2 WAY, 7 GPM ELEC
- 30 GALLON CAPACITY STAINLESS HYDRAULIC RESERVOIR WITH INTERNAL FILTER
- FILLER/BREATHER CAP, LEVEL/TEMP SIGHT GLASS, 3/4" MAGNETIC PLUG,
- 60 P.S.I. CONDITION INDICATOR
- STAINLESS STEEL FRANE MOUNTED VALVE ENCLOSURE
- FORCE AMERICA (2) STICK ULTRA 6100 GEN-5, GROUND BASED SPREADER CONTROL
- PRECISE WIRELESS ARC AIR AND ROAD CONDITIONS SYSTEM
- STAINLESS STEEL LINES WITH SHORT WIP HOSES FOR PLOW, SPREADER & PRE-WET
- INSTALLED

**FORCE AMERICA CAMERA SYSTEM**

- (3) COLOR CAMERAS
- (1) LOADSPACE (CONSTANT ON)
- (1) SPINNER AREA (CONSTANT ON)
- (1) REAR PILLAR FOR BACKING UP (TRIGGER)
- TUBE STYLE STAINLESS STEEL GUARD FOR EACH CAMERA
- WASH AND DRY FOR ALL CAMERAS
- CAMERAS WIRED INTO 6100
- INSTALLED

Quote Total: \$177,595.00

**Terms & Conditions**

- Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis.
- State and Federal taxes will be added where applicable. Out-of-state municipal entitles may be subject to Wisconsin sales tax.
- Restocking fees may be applicable for cancelled orders.
- MTE is not responsible or liable for equipment that does not meet local/state regulations if those laws are not made known at time of order.

By signing and accepting this quote, the customer agrees to the terms listed above and has confirmed that all chassis information listed above is accurate to chassis specs.

Re-Assign (Required for all pool units):	<input type="checkbox"/> Fleet	<input type="checkbox"/> Retail	Customer P.O. Number:	Dealer Code:	Sourcwell Member Number:
MSO/MCO (ONLY check if legally required):	<input type="checkbox"/> MCO	<input type="checkbox"/> MSO			30962
Customer Signature:	Date of Acceptance:				

