



1051 W 7th Street
 Monroe, WI 53566
 Sales Rep: Kendall Blumeyer
 Ph:
 www.MonroeTruck.com

J.O. #

Quotation ID: 9MJS001035
 Date: 4/14/2026
 Valid thru: 5/14/2026
 Terms: NET 30

Quoted by: Mike Sutter
 Ph/Fax: 608-329-8176 / 608-329-8521

Quoted to:

ROMEOVILLE, VILLAGE OF (ATTN:)
 PUBLIC WORKS DEPARTMENT
 615 ANDERSON DRIVE
 ROMEOVILLE, IL 60446
 Ph: 815-886-7200 / Fax: 815-886-2762
 Email:



Chassis Information

Year: 2026	Make: KENWORTH	Model: T480	Chassis Color: BLUE	Cab Type:
Single/Dual: DRW	CA:	CT:	Wheelbase:	Engine: DIESEL
			F.O. Number #:	Vin:

Notes:

Monroe Truck Equipment, Inc. is pleased to offer the following quote for your review:

Description	Amount
SKU# 9BES0003631-3	
SWAP LOADER SL-2418 FIXED 53-7/8" HOOK LIFT	
- 24,000LB CAPACITY	
- POLY FENDERS KIT OVER DRIVE AXLE	
- (1) SET OF RUBBER FLAPS MOUNTED BEHIND THE POLY FENDERS WITH 4" CHANNEL FRAME MOUNT BRACKETS	
TOWING	
- 1" PINTLE PLATE	
- PINTLE HOOK - W/MOUNTING, 50 TON SINGLE AXLE	
- B5055 1" CURVED D-RINGS	
- 7 WAY RV STYLE TRAILER CONNECTOR	
- 6-WAY ROUND TRAILER PLUG	
- SINGLE POLE 300 AMP PLUG FOR VIBRATOR ON DUMP BODY	
- AIR COUPLER FOR AIR TAILGATE ON DUMP BODY	
- 3-I.D. LIGHT BAR AT REAR	
- BACK UP ALARM	
GENERAL LIGHTING:	
- WHELEN, JUSTICE SUPER LED ILL STROBE SYSTEMS, 72" LIGHT BAR	
- 72" JUSTICE LED LIGHT BAR MOUNTED ON ROOF	
- WHELEN WORK LIGHTS ADDED TO LIGHT BAR	
- (2) TWO HOLE STAINLESS STEEL BOXES MOUNTED HORIZONTAL TO 4" CHANNEL BOLTED TO THE REAR FRAME BEHIND THE POLY FENDERS THAT WILL ALSO ACT AS THE REAR MUD FLAP MOUNTS	
- (2) LED S/T/T WITH COMBO BACK UP LIGHTS AND (2) AMBER /GREEN L.E.D. STROBES WILL BE RECESSED IN THOSE STAINLESS STEEL BOXES.	
- (1) AMBER, (1) CLEAR & (1) GREEN STROBE MOUNTED VERTICALLY OUTSIDE THE TRUCK FRAME IN WHELEN STAINLESS STEEL BOXES - ONE EACH SIDE	
- WHELEN AMBER & GREEN STROBES ON CABSHIELD FACING THE REAR WITH AN ADDITIONAL SET OF S,T,T, TO INSIDE OF THE STROBES	
- (2) L.E.D. WORK LIGHTS	
- VCMS II SWITCH PANEL KIT FOR ELECTRICAL ACCESSORIES	
- (2) OPTIMO CAMERAS WITH STAINLESS STEEL BOXES - LOCATION TO BE DETERMINED	
- CAMERAS TO BE DISPLAYED THROUGH FORCE AMERICA 6100 MONITOR	
- CAMERA WASH AND DRY FOR TWO CAMERA SYSTEM	
- ELECTRICAL DRAWINGS	
STAND-ALONE CABSHIELD	
- ILL STYLE CABSHIELD - 304 STAINLESS STEEL	
- 8" WIDE STAINLESS STEEL VERTICAL UPRIGHTS MOUNTED TO FRAME RAIL	
- SCREEN WINDOW	



Description

Amount

- 4" REFLECTIVE TAPE ACROSS BACK OF CABSHIELD

PLOW HITCH

- MC7082 QUICK HITCH - TWO-JAW , ON 30.5 C.C.
- FLAT FOLD LIFT ARM
- 4 X 10 DA LIFT CYLINDER
- CHEEK SIDE PLATE KIT
- O.E.M. BUMPER CUT AND REINSTALLED
- ABL HEATED L.E.D. PLOW LIGHTS MOUNTED WITH STAINLESS STEEL BRACKETS ON HOOD AREA

(REQUIRES MINIMUM OF 18" FRONT FRAME EXTENSION)

MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

MODEL MP41R10-CT

STANDARD EQUIPMENT:

- 10 GAUGE ROLL FORMED STRAIGHT MOLDBOARD
- NO INTEGRAL SHIELD
- MOLDBOARD AND PUSHFRAME 100% CONTINUOUSLY WELDED
- (6) 1/2" X 4" TAPERED, ONE-PIECE FLAME CUT RIBS
- 2" X 3" X 3/8" TOP MOLDBOARD ANGLE
- 4" X 4" X 3/4" BOTTOM MOLDBOARD ANGLE
- HORIZONTAL MOLDBOARD BRACE ANGLES
- 5/8" X 8" ONE-PIECE TOP PUNCH CUTTING EDGE
- DUAL COMPRESSION TRIP SPRING ASSEMBLIES
- 4" X 4" X 3/8" CROSS-TUBE SUPPORT
- 3-1/2" X 3-1/2" X 1/2" SEMI-CIRCLE
- (2) 3" X 10" TOP MOUNT DOUBLE ACTING POWER REVERSE CYLINDERS WITH CUSHION VALVE
- BUILT-IN MONROE LEVEL LIFT ASSEMBLY, SINGLE CHAIN PICK
- WRAP-A-ROUND CURB GUARD - BOTH SIDES
- RUBBER SNOW DELFECTOR
- SCREW ADJUSTABLE PARKING JACK
- MC6000 PLOW PORTION QUICK HITCH
- 36" ORANGE CABLE PLOW MARKERS
- MOLDBOARD POWDER COATED ORANGE
- PUSH FRAME POWDER COATED BLACK

ELECTRICS HYDRAULICS PACKAGE TO INCLUDE:

- HOT SHIFT PTO
- TXV92 LOAD SENSE PUMP - MOUNTED TO PTO
- HIGH PRESSURE OIL FILTER
- VALVE WITH STAINLESS STEEL FRAME MOUNT ENCLOSURE:
 - SWAPLOADER VALVES (2) SECTIONS REQUIRED - 3500 PSI
 - PRESSURE TRANSDUCING MANIFOLD - 3500 PSI TO 2500 PSI
 - PLOW LIFT: 4 WAY/3POS, 20 GPM, MANUAL
 - PLOW ANGLE: 4 WAY/3POS, 20 GPM, MANUAL
 - AUGER: 2 WAY, 14 GPM
 - SPINNER: 2 WAY, 7 GPM
 - PRE-WET : 2 WAY 7 GPM
 - MULTI-LANE ANTI-ICE: 2-WAY 14 GPM
- OIL RESERVOIR:
 - 30 GALLON CAPACITY SLIM LINE STAINLESS HYDRAULIC RESERVOIR
 - COMBINATION VALVE ENCLOSURE WITH INTERNAL FILTER FILLER/BREATHER CAP, LEVEL/TEMP SIGHT GLASS, 3/4" MAGNETIC PLUG,
 - 60 P.S.I. CONDITION INDICATOR
- CONTROLS:
 - FORCE AMERICA ULTRA 6100 GEN 5 SERIES (2) STICK CONTROLS
 - FLOOR MOUNT STAND
 - MONITOR TO MOUNTED OFF ULTRA WITH DISPLAY BRACKET
 - WIRELESS ROAD TEMP KIT
 - SAFETY SYSTEM TO PREVENT AN BODY, OR SPREADER FROM BEING UNLOADED BEFORE THE ELECTRICAL AND HOSES ARE UNHOOKED
 - STAINLESS STEEL LINES WITH SHORT WIP HOSES RUN TO THE FRONT FOR THE PLOW
 - CENTRAL MANIFOLD STATION MOUNTED ON THE DRIVERS SIDE OF THE CHASSIS JUST BEHIND THE CAB. THIS WILL HOST LOCAL DISCONNECTS, HYDRAULIC AND ELECTRICAL FOR THE DUMP BODY, V-BOX SPREADER, 1065 GALLON ANTI-ICE UNIT



Description

Amount

- OPEN OR CLOSED LOOP OPERATION OF GRANULAR, PRE-WET AND MULTI LANE ANTI ICE.

Quote Total: \$139,614.00

**** NOTICE: We are closely monitoring the tariff situation very carefully. Aebi Schmidt North America and its Monroe brand manufacture products in the United States, so the direct impact of current tariffs will be moderate. Although we make significant efforts to source components domestically, this is not always feasible. At this time, we cannot predict the potential cost increases that may arise through our supply chain or from further tariffs. We understand that this may raise concerns, and we want to assure you that we are working hard to minimize any impact on our customers and if cost increases need to be applied to existing or future orders, we will discuss these changes with our customers upfront.**

Additional Options:

Description

Amount

Add to quote?

10' CRYSTEEL SELECT CARBON STEEL DUMP BODY

\$31,263.00

Yes / No

- BODY: 120"L, 84" ID, 96" OD
- 5-7 YARD CAPACITY
- 48"H STRAIGHT FRONT
- 26"H SINGLE PANEL SIDES W/ RUBRAIL/PRESSED HORIZONTAL
- 36"H STRAIGHT REAR
- 7 GAUGE A1011 STEEL SIDES & ENDS
- 1/4" AR450 FLOOR - CROSSMEMBERLESS UNDERSTRUCTURE
- AIR TAILGATE RELEASE
- 2" FLAT LOWER WALK RAIL – BOTH SIDES
- (1) BODY STEP , FRONT DRIVER SIDE AND (1) BODY STEP FRONT PASSENGER SIDE
- GRAB HANDLE PER SIDE
- THREE STEP PULL-OUT FOLD-DOWN LADDERS - FRONT RIGHT AND LEFT SIDE
- COUGAR DC-3200 VIBRATOR
- RECESSED L.E.D. STOP/TURN/ TAIL WITH COMBO BACKUP LIGHTS W/ SEALED WIRING HARNESS & JUNCTION BOX
- (1) SET OF WHELEN AMBER/GREEN L.E.D. OVAL STROBES RECESSED IN REAR CORNER POST
- 4" YELLOW REFLECTIVE TAPE - BODY SIDES AND REAR TAILGATE
- 10'X10" OAK SIDE BOARDS , NOT STAINED OR PAINTED
- CENTER BOARD SUPPORT
- SWAP LOADER MILD STEEL SUBFRAME WITH ROLLER KIT,
- BLAST, PRIME AND PAINTED 2-STAGE BASE/CLEAR BLUE

ARBORTECH CHIP BOX:

\$31,537.00

Yes / No

- 11'L X 66"H X 96"W
- CURBSIDE INTERIOR LADDER BOX
- PRUNER SHELF WITH LOCKING REAR DOOR
- 30" SWING TO SIDE TAILGATE
- UPPER RADIUS VENTS
- COAL TAR INTERIOR OF CHIP BOX
- UNDERCOAT UNDERSIDE OF CHIP BOX
- 4-HEAD AMBER STROBE SYSEM - (2) FRONT AND (2) REAR
- STT AND BACK UP L.E.D. LIGHT PKG
- HOOK LIFT MILD STEEL SKID WITH ROLLERS
- BLASTED, DOUBLE PRIMED AND PAINTED WITH 2-STAGE BASE/CLEAR BLUE PAINT

MONROE V-BOX SPREADER

\$52,863.00

Yes / No

- 10' LONG X 84" WIDE X 56" HIGH - 6.5 CUBIC YARD CAPACITY
- STANDARD EQUIPMENT:
- 304 STAINLESS STEEL CONSTRUCTION
- 10 GAUGE HOPPER
- 7 GAUGE FORMED LONG-SILLS SLOTTED
- 45 DEGREE SLOPED SIDES
- 4-CORNER LIFT SYSTEM
- DUAL 7" OD AUGERS; 24.9 CU IN DRIVE MOTORS
- SINGLE SPEED SENSOR, PLANETARY GEARBOXES 3.6:1
- STAINLESS STEEL INVERTED -V KIT
- BEARING GREASE EXTENSIONS TO THE REAR
- MILD STEEL TOP GRATE KIT
- TIP UP SPINNER ASSEMBLY WITH 20" POLY DISC
- WINCH KIT FOR TIP UP SPINNER



Description

Amount

Add to quote?

- FRONT & REAR STAINLESS STEEL SPILL SHIELDS, 16" DEEP WITH 30 DEGREE SLOPE
- STAINLESS STEEL HOOK LIFT SKID DESIGND FOR SL2418 SWAP LOADER
- STAINLESS STEEL LINES WITH SHORT WIP HOSES RUN DOWN THE LEFT HAND SIDE OF THE V-BOX SPREADER FOR THE AUGER, SPINNER AND PREWET PUMPS. THIS WILL RUN TO THE FRAME MOUNTED MANIFOLD AND SECURE WITH COUPLERS

250 GALLON PRE-WET KIT TO CONSIST OF:

- (2) 125 GALLON TANKS MOUNTED ON THE V-BOX - WITH STAINLESS STEEL HARDWARE
- 7 GPM HYDRAULIC PUMP W/ 14" X 7" X 6.5" ENCLOSURE AND PLUMBING KIT WITH FLOW METER FOR OPEN LOOP OR CLOSED LOOP OPERATION
- FLUSH KIT
- CROSSOVER KIT
- 2 " FEMALE BULK FILL KIT
- SPRAY BAR KIT FOR LIQUID OVER THE CONVEYOR

SAFETY LIGHTING TO INCLUDE:

- STAINLESS STEEL LIGHT MOUNTED AT THE TOP OF THE HOOPER , FULL WIDTH ACROSS , AT THE REAR

LIGHT BAR TO CONTAIN:

- (4) WHELEN 5GP AMBER/GREEN L.E.D. OVAL STROBES
- (2) L.E.D. STOP, TAIL AND TURN LIGHTS
- (7) BULLET MARKER LIGHTS
- ONE SET OF WHELEN VTX9 AMBER/GREEN STROBES MOUNTED IN THE ENDS OF THE OVAL STROBE BOX FACING TO THE SIDES
- 3-L.D. L.E.D. MARKER LIGHT KIT INSTALLED ON SPINNER CHUTE

MONROE 1065 GALLON ANTI-ICING SYSTEM

\$34,742.00

Yes / No

STANDARD EQUIPMENT:

- 1065 GALLON POLYETHYLENE LEG STYLE TANK
- 3-LANE SINGLE BOOM ASSEMBLY AND BOOM SWITCHES
- 3-LANE NON-TIERED PLUMBING
- 210 GPM HEAVY-DUTY CENTRIFUGAL PUMP W/ HYDRAULIC MOTOR AND FLOW METER FOR CLOSED LOOP OPERATION
- MAJOR COMPONENTS ARE FLANGE MOUNTED FOR EASY REMOVAL AND REPAIR
- HEAVY-DUTY GLASS FILLED POLYPROPYLENE FITTINGS
- SWAP LOADER HOOK LIFT SKID ASSEMBLY WITH REAR ROLLERS
- STAINLESS STEEL LINES WITH SHORT WIP HOSES RUN DOWN THE LEFT HAND SIDE OF THE SKID . THESE ARE FOR THE ANTI-ICE PUMP. COUPLERS AT THE FRONT THAT WILL PLUG INTO THE MAINFOLD STATION LEFT BOLTED TO THE LEFT SIDE OF THE TRUCK FRAME BEHIND THE CAB.
- BARE STAINLESS STEEL PLATFORM

LIGHTING TO INCLUDED THE FOLLOWING:

- STAINLESS STEEL 66" - 6-HOLE LIGHT BAR MOUNTED AT THE REAR
- (4) WHELEN WHELEN 5PG AMBER/GREEN STROBES WITH (2) L.E.D. STOP, TAIL, TURN WITH COMBO BACK-UP LIGHTS FACING TO THE REAR
- WHELEN VTX9 AMBER/GREEN STROBES MOUNTED ON EACH OF THE LIGHT BARS FACING TO THE SIDES OF THE UNIT
- (5) 3/4" MARKER LIGHTS INSTALLED IN THE LIGHT BAR - 3 TO THE REAR AND ONE ON EACH END FACING TO THE SIDE
- TRUCK LIGHT 50600 JUNCTION BOX MOUNTED AT THE REAR WITH CABLING RUN TO THE FRONT WITH SHORT WIP AND 6-WAY TRAILER PLUG THAT WILL PLUG INTO MAINFOLD STATION.

Terms & Conditions

- Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis.
- State and Federal taxes will be added where applicable. **Out-of-state municipal entities may be subject to Wisconsin sales tax.**
- Restocking fees may be applicable for cancelled orders.
- MTE is not responsible or liable for equipment that does not meet local/state regulations if those laws are not made known at time of order.

By signing and accepting this quote, the customer agrees to the terms listed above and has confirmed that all chassis information listed above is accurate to chassis specs.

Re-Assign (Required for all pool units): <input type="checkbox"/> Fleet <input type="checkbox"/> Retail	MSO/MCO (ONLY check if legally required): <input type="checkbox"/> MCO <input type="checkbox"/> MSO
Customer Signature: _____	Customer P.O. Number: _____ Date of Acceptance: _____

