pitney bowes

SendPro®
SendPro MailCenter

Advanced technology for maximum productivity.

The SendPro MailCenter is an advanced all-in-one mailing and shipping solution designed to quickly process high volumes of mixed mail at high speeds and optimize all your sending workflows, while reducing costs.

High-speed mail processing streamlines your sending workflows.

- **Automatically process** high-volume mail runs with variable thickness at speeds up to 310 letters per minute[1].

- **Save time** by eliminating the need to sort mail by weight and size with the Weigh-on the Way® feature[2].

- **Easy-to-use** 15″ intuitive touch-screen display is designed for visibility and ease of use and allows for faster processing of mail and packages.

- **Ensure accuracy** and process mail in seconds with an unlimited number of presets for your most commonly-used postage classes.

- **Save on pre-printed stationary costs** with the ability to print your business logo, return address or promotional messages on envelopes for a more professional look.

- **Optimize efficiency** with our Reverse Separation technology that minimizes envelope jams with integrated sensors and rollers that adjust to different envelope thicknesses.

- **Automatically save** on every First Class® letter you send.

[1] The SendPro® MailCenter 3000 model will print up to 310 lpm. Please see specification chart for other models' processing speeds

[2] Weigh on the Way is only available on the MailCenter 2000 & 3000 models. Please see specification chart for WoW processing speeds. Weigh-on-the-Way is not available on the MailCenter 1000.

Integrated shipping capabilities for increased efficiency

Gain full visibility and control over all your sending within one powerful digital system. The SendPro® MailCenter offers an integrated shipping capability that enables you to ship packages and evaluate rates and services through USPS® FedEx® and UPS®. Now, you can get your packages delivered with the best cost and delivery options available.

• Accurately weigh packages with an integrated scale.

• Evaluate shipping options and costs to make the best decision for your needs.

• Gain greater visibility into your shipping spend and package tracking in one place.

• Print professional-looking shipping labels from an optional shipping label printer.

Access shipping outside the mailroom
Users can simply log in to the Shipping 360™ platform, to access the same shipping features on the SendPro MailCenter directly from their desktop with PitneyShip™ or PitneyShip Pro. In addition, a shipping label printer and desktop scale is available to ensure accurate weighing and professional label printing. Plus, everything shipped is captured in a central shipping account that includes package detail, tracking information and shipping history.

Add these optional peripherals to enhance your sending experience:

Shipping label printer: Print professional looking shipping labels onto an adhesive label.

Digital scale: Accurately weigh and calculate correct postage for mail and packages from your computer or upgrade to a 30lb, 70lb or 149lb scale for larger packages.

Barcode scanner: Easily charge mail runs to assigned cost accounts within your organization or quickly process Certified Mail by scanning the barcode to automatically import information.

Power stacker: Streamline your high-volume mail runs with a extended capacity mail stacker.

Wireless keyboard: Quickly enter alpha-numeric entries and addresses to process mail and packages easily.

Compliance and optional Global Services.

The SendPro® MailCenter continues to meet all current USPS® regulations and meets the latest Intelligent Mail® Indicia (IMI) specification.

Pitney Bowes Global Services offers a full array of end-to-end service, professional installation and optimization resources.

SendPro® MailCenter Specifications

	MailCenter 1000	MailCenter 2000	MailCenter 3000
Max mail processing speeds (letters per minute)	Standard: 145 LPM Optional: 160 or 180 LPM	Standard: 145 LPM Optional: 160 or 180 LPM	Standard: 165 LPM Optional: 220, 270 or 310 LPM
Weigh-on-the-Way® (WOW®)	Not Available	Standard WOW: 70 LPM Optional: WOW: 95 or 115 LPM	Standard: WOW 105 LPM Optional: WOW 135, 175 or 205 LPM
Envelope processing thickness	5/8" media size: 3 ½" x 5" up to 10" x 14"	5/8" media size: 3 ½" x 5" up to 10" x 14"	3/4" media size: 3 ½" x 5" up to 10" x 14"
Dimensions	39.3"L x 22.2"D x 25"H Drop stacker adds 13.2" to L Power stacker adds 33.6" to L	55"L x 25.1"D x 25.2"H Drop stacker adds 13.2" to L Power stacker adds 33.6" to L	62.9"L x 25.2"D x 24"H Drop stacker adds 13.2" to L Power stacker adds 33.6" to L
IMI indicia on-device stamp printing	Yes		
Envelope flap depth	Min: 1", Max: 3 ⅞"		
Envelope sealing system	Pump-fed pad; closed flap feeding. Seal only mode.		
Color touchscreen display	Standard: 15" detachable display with optional display stand		
Scale capacity	Optional: 5, 10, 15 lb small platform with stand. 15-30 lb tabletop platform. 70 and 149lb		
Differential weighing	Yes		
Available shipping carriers	USPS® UPS® FedEx®		
Available desktop shipping access	PitneyShip™ with optional scale and label printer or PitneyShip Pro		
Optional accounting	100, 500, 3,000, 100k max accounts		
Optional expanded analytics	PitneyAnalytics™, Business Manager		
Package tape printing	Adhesive roll tape (for large envelopes and packages using non-discounted USPS retail rates)		
Peripheral hardware options	Barcode scanner, laser report printer, power stacker portrait flats kit, power stacker, wireless keyboard (for quick alpha-numeric entries).		

*Get automatic ink replenishments at savings of 20% off the retail price when you enroll in the AutoInk program. For more information on AutoInk, visit us online at pbi.bz/autoink

pitney bowes

To learn more, visit **pitneybowes.com**
or talk with your Pitney Bowes sales representative.

**RECYCLE
PLEASE** »
recycleplease.org

22SENDTECH06198_US