




Play Illinois, LLC

310 N Grant Street | Westmont, IL 60559 | 844-222-9990

Proposal 129-193736-1 | 11/18/2024

November 18, 2024

Kelly Rajzer
Romeoville Park District
900 W Romeo Rd
Romeoville, IL 60446

Dear Kelly Rajzer:

Play Illinois, LLC is delighted to provide Romeoville Park District with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. Play Illinois, LLC is confident that this proposal will satisfy Romeoville Park District's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to developing a long-standing relationship with Romeoville Park District. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

Cheryl Parson
Sales Representative

Play Illinois, LLC
310 N Grant Street
Westmont, IL 60559
www.playil.com
www.bciburke.com

Phone: 844-222-9990
Fax: -
cparson@playil.com

FEATURED PLAY EVENTS



CRESCENT SPINNER PANEL

Create the perfect play area for children with Burke's Interactive Play Panels. The play panels encourage exploration, interaction and develop fine-motor skills for children with all abilities.



Via Climber

Climbers provide several developmental benefits to children, building upper body strength along with boosting balance and coordination while they play.



Evolution Arched Catwalk Bridge

Intricate climbers. Fast slides. The Next Evolution in Play is here. The Nucleus Evolution collection will move children to experience adventure, develop narratives and create experiences like no one has seen on the playground before.



Velo™ Slide

Rapid and swift, the Velo Slide is designed to be the fastest, most exciting sliding experience for kids!

FEATURED PLAY EVENTS



COMET II

It challenges children to utilize their strength, balance and coordination. It can be used by a single child or by a group of children for maximum play ability. Children can sit or stand on the outside or inside of the comet.



3.5" Arch Swing

Swings help children develop coordination and balance while providing an engaging sensory experience.

DESIGN SUMMARY

Play Illinois, LLC is very pleased to present this Proposal for consideration for the Wesglen Park located in Romeoville. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of Romeoville Park District. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.


The following is a summary of some of the key elements of our Proposal:

- Project Name: Wesglen Park
- Project Number: 129-193736-1
- User Capacity: 160
- Age Groups: 5 to 12, 2 to 5, 2 to 12
- Dimensions: 87' 4"x59' 2"
- Designer Name: Brandy Janke

Play Illinois, LLC has developed a custom playground configuration based on the requirements as they have been presented for the Wesglen Park playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 129-193736-1 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Wesglen Park playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	GROUND EVENTS	TYPES OF GROUND EVENTS
44	18 / 9	16 / 0	0 / 0	9 / 6
				6 / 3

OVERALL BOUNDING OF USE ZONES ***The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Area: 5170 sq.ft.
Perimeter: 293.1 ft.
STRUCTURE SIZE: 3"x87' 5"
POST SIZE(S):

SERIES Nucleus | Intensity | Burke Basics

SITE PLAN VIEW

GROUP:
5-12 Structure|2-5 Structure|Freestanding

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

Wesglen Park
Romeoville, IL 60446


Burke
PLAY THAT MOVES YOU.

11/18/2024

Play Illinois, LLC
129-193736-1

Designer: Brandy Janke

ITEM	COMP.	DESCRIPTION
1	270-0129	TRIANGLE PLATFORM
2	370-1684	ROUND-A-BOUT, NUCLEUS
3	570-2729	CLASSIC GAME RING PANEL
4	370-0247	END RUNGS
5	570-2705	SPINNER CRESCENT PANEL
6	470-0075	CRESCENT PLATFORM
7	270-0009	8" CLOSURE PLATE, ELLIPSE
8	370-0041	EVOLUTION 40" TRANSITION STAIR W/ BARRIERS
9	270-0132	HALF HEXAGON PLATFORM
10	470-0014	EVOLUTION HEX ROOF
11	470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE
12	470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT
13	470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT
14	370-1695	VIA CLIMBER 64"-72"
15	270-0122	EVOLUTION OFFSET ENCLOSURE
16	370-0233	FORMIS LADDER 64
17	270-0120	EVOLUTION UNITARY ENCLOSURE
18	270-0123	EVOLUTION ARCHED CATWALK BRIDGE
19	470-0811	EVOLUTION ROOF END PLATE
20	470-0754	VELO SLIDE 64"-72", W/O HOOD
21	470-0967	SLIDE HOOD, LOW SIDE WALL
22	570-1545	EVOLUTION 6' OPENING BARRIER
23	470-0117	COBRA SLIDE CURVED 144"
24	570-1544	EVOLUTION SHORT CURVED TOP BARRIER
25	570-1557	EVOLUTION TALL CURVED TOP BARRIER, LEFT
26	370-1649	EVOLUTION, DECK TO ROOF CLIMBER
27	570-1558	EVOLUTION TALL CURVED TOP BARRIER, RIGHT
28	470-0115	COBRA SLIDE CORKSCREW LEFT 144"
29	570-0100	EVOLUTION BARRIER
30	370-1711	ATOM CLIMBER 56"-72"
31	270-0121	EVOLUTION STANCHION
32	370-1682	BETA CLIMBER 64"-72"
33	470-0664	ROCK'N ROLL SLIDE, 64" - 72" W/O HOOD



SERIES Nucleus | Intensity

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

Wesglen Park
Romeoville, IL 60446

Burke
PLAY THAT MOVES YOU


COMPONENT VIEW

11/18/2024

Play Illinois, LLC
129-193736-1

Designer: Brandy Janke

ITEM	COMP.	DESCRIPTION
1	270-0301	SPLIT SQUARE PLATFORMCLOSURE PLATE
2	370-0031	POWER PIPES CLIMBER 2-5
3	370-0203	LINX CLIMBER
4	370-1720	LIL NOVO BALANCE BEAM LINK
5	270-0130	SQUARE PLATFORM
6	570-2678	CLOCK PANEL
7	570-1862	COG WHEEL PANEL
8	470-0755	LUGE SLIDE, 48"-56"
9	370-1671	PETAL STEP CLIMBER 40"-48"
10	270-0121	EVOLUTION STANCHION
11	270-0009	8" CLOSURE PLATE, ELLIPSE
12	470-0015	EVOLUTION SQUARE ROOF
13	470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE
14	470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT
15	470-0003	EVOLUTION TOP ROOF SUPPORT, SINGLE
16	470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT
17	470-0802	MONACO SLIDE, 32"-40"
18	470-0967	SLIDE HOOD, LOW SIDE WALL
19	470-0075	CRESCENT PLATFORM
20	270-0122	EVOLUTION OFFSET ENCLOSURE
21	270-0120	EVOLUTION UNITARY ENCLOSURE
22	560-2708	EKO TRI
23	580-1364	LIL NOVO BEAN STEP



SERIES Nucleus | Intensity | Burke Basics

COMPONENT VIEW


GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

Wesglen Park
Romeoville, IL 60446



11/18/2024
Play Illinois, LLC
129-193736-1
Designer: Brandy Janke



SERIES Nucleus | Intensity | Burke Basics

ELEVATION VIEW

GROUP:
5-12 Structure|2-5 Structure|Freestanding

Wesglen Park
Romeoville, IL 60446


11/18/2024

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

Burke
PLAY THAT MOVES YOU

Play Illinois, LLC
129-193736-1

Designer: Brandy Janke



SERIES Nucleus | Intensity | Burke Basics

ISOMETRIC VIEW

GROUP:
5-12 Structure|2-5 Structure|Freestanding

Wesglen Park
Romeoville, IL 60446

11/18/2024

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

Burke
PLAY THAT MOVES YOU

Play Illinois, LLC
129-193736-1

Designer: Brandy Janke

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit www.ipema.org.



The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

Component No.	Description	Qty	User Cap	Ext. User Cap	Weight	Ext. Weight
5-12 Structure						
Nucleus						
072-0500-116C	5" OD X 116" CAPPED POST	1	0	0	61	61
072-0500-120C	5" OD X 120" CAPPED POST	4	0	0	63	252
072-0500-148C	5" OD X 148" CAPPED POST	1	0	0	78	78
072-0500-184C	5" OD X 184" CAPPED POST	4	0	0	96	384
072-0500-196C	5" OD X 196" CAPPED POST	2	0	0	103	206
072-0502-172S	5" OD X 172" SWAGED POST	3	0	0	90	270
072-0502-212S	5" OD X 212" SWAGED POST	4	0	0	111	444
072-0504-10B	5" OD X 10" STUBBY POST	1	0	0	6	6
072-5503-48T	5" OD X 48" TOP ALUMINUM CAPP...	2	0	0	10	20
072-5503-64T	5" OD X 64" TOP ALUMINUM CAPP...	2	0	0	13	26
072-5503-88T	5" OD X 88" TOP ALUMINUM CAPP...	2	0	0	18	36
270-0009	8" CLOSURE PLATE, ELLIPSE	3	0	0	8	24
270-0120	EVOLUTION UNITARY ENCLOSURE	2	0	0	34	68
270-0121	EVOLUTION STANCHION	1	0	0	43	43
270-0122	EVOLUTION OFFSET ENCLOSURE	1	0	0	34	34
270-0123	EVOLUTION ARCHED CATWALK BRIDGE	1	11	11	439	439
270-0129	TRIANGLE PLATFORM	1	2	2	48	48
270-0132	HALF HEXAGON PLATFORM	6	6	36	144	864
370-0041	EVOLUTION 40" TRANSITION STAI...	1	8	8	301	301
370-0233	FORMIS LADDER 64	1	4	4	95	95
370-0247	END RUNGS	1	1	1	10	10
370-1649	EVOLUTION, DECK TO ROOF CLIMBER	1	7	7	472	472
370-1682	BETA CLIMBER 64"-72"	1	3	3	57	57
370-1695	VIA CLIMBER 64"-72"	1	3	3	75	75
370-1711	ATOM CLIMBER 56"-72"	1	3	3	48	48
470-0006	EVOLUTION BOTTOM ROOF SUPPORT...	3	0	0	13	39
470-0008	EVOLUTION SIDE ROOF SUPPORT, ...	4	0	0	16	64
470-0009	EVOLUTION SIDE ROOF SUPPORT, ...	4	0	0	16	64
470-0014	EVOLUTION HEX ROOF	2	0	0	145	290
470-0075	CRESCENT PLATFORM	1	1	1	52	52
470-0115	COBRA SLIDE CORKSCREW LEFT 144"	1	3	3	464	464
470-0117	COBRA SLIDE CURVED 144"	1	3	3	463	463
470-0664	ROCK'N ROLL SLIDE, 64" - 72" ...	1	2	2	111	111
470-0754	VELO SLIDE 64"-72", W/O HOOD	1	2	2	111	111
470-0811	EVOLUTION ROOF END PLATE	1	0	0	12	12
470-0967	SLIDE HOOD, LOW SIDE WALL	2	0	0	37	74
570-0100	EVOLUTION BARRIER	2	0	0	52	104
570-1544	EVOLUTION SHORT CURVED TOP BA...	2	0	0	50	100
570-1545	EVOLUTION 6' OPENING BARRIER	1	0	0	78	78
570-1557	EVOLUTION TALL CURVED TOP BAR...	1	0	0	114	114
570-1558	EVOLUTION TALL CURVED TOP BAR...	1	0	0	114	114
570-2705	SPINNER CRESCENT PANEL	1	1	1	17	17

660-0103	MAINTENANCE KIT, STRUCTURE	1	0	0	7	7
660-0104	INSTALLATION KIT, STRUCTURE	1	0	0	5	5
670-0425	5" OD STUBBY POST CAP	1	0	0	1	1
670-0427	5" OD X 11 GA POST EXTENSION	7	0	0	10	70
370-1684	ROUND-A-BOUT, NUCLEUS	1	12	12	115	115
570-2729	CLASSIC GAME RING PANEL	1	2	2	80	80

Freestanding

Burke Basics

550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	2	1	2	10	20
550-0158	3 1/2" OD ARCH SWING	1	0	0	264	264
550-0159	3 1/2" OD ARCH SWING ADD-ON	1	0	0	160	160
550-0171	FREEDOM SWING SEAT, 8' BEAM, ...	1	1	1	38	38
550-0191	KONNECTION SWING	1	2	2	64	64
560-2589	COMET II	1	6	6	147	147
660-0101	INSTALL KIT, BURKE BASICS - P...	1	0	0	2	2

2-5 Structure

Nucleus

072-0500-108C	5" OD X 108" CAPPED POST	1	0	0	57	57
072-0500-116C	5" OD X 116" CAPPED POST	2	0	0	61	122
072-0500-184C	5" OD X 184" CAPPED POST	2	0	0	96	192
072-0500-200C	5" OD X 200" CAPPED POST	2	0	0	105	210
072-0500-56C	5" OD X 56" CAPPED POST	1	0	0	30	30
072-0500-84C	5" OD X 84" CAPPED POST	1	0	0	44	44
072-0500-96C	5" OD X 96" CAPPED POST	1	0	0	51	51
270-0009	8" CLOSURE PLATE, ELLIPSE	3	0	0	8	24
270-0120	EVOLUTION UNITARY ENCLOSURE	1	0	0	34	34
270-0121	EVOLUTION STANCHION	1	0	0	43	43
270-0122	EVOLUTION OFFSET ENCLOSURE	1	0	0	34	34
270-0130	SQUARE PLATFORM	2	6	12	106	212
270-0301	SPLIT SQUARE PLATFORMCLOSURE ...	1	4	4	108	108
370-0203	LINX CLIMBER	1	3	3	112	112
370-1671	PETAL STEP CLIMBER 40"-48"	1	3	3	48	48
370-1720	LIL NOVO BALANCE BEAM LINK	1	3	3	58	58
470-0003	EVOLUTION TOP ROOF SUPPORT, S...	1	0	0	13	13
470-0006	EVOLUTION BOTTOM ROOF SUPPORT...	1	0	0	13	13
470-0008	EVOLUTION SIDE ROOF SUPPORT, ...	1	0	0	16	16
470-0009	EVOLUTION SIDE ROOF SUPPORT, ...	1	0	0	16	16
470-0015	EVOLUTION SQUARE ROOF	1	0	0	42	42
470-0075	CRESCENT PLATFORM	1	1	1	52	52
470-0755	LUGE SLIDE, 48"-56"	1	4	4	198	198
470-0802	MONACO SLIDE, 32"-40"	1	2	2	70.6	70.6
470-0967	SLIDE HOOD, LOW SIDE WALL	1	0	0	37	37
570-1862	COG WHEEL PANEL	1	2	2	63	63
570-2678	CLOCK PANEL	1	1	1	50	50
370-0031	POWER PIPES CLIMBER 2-5	1	6	6	33	33
560-2708	EKO TRI	1	3	3	72	72
580-1364	LIL NOVO BEAN STEP	1	1	1	28	28

Total Equipment Price:\$164,735
Special Courtesy Discount: -(37,889)
Shipping Cost: 3,450
Total:\$130,296

Special Notes:

Prices do not include unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable).

Pricing reflects 2026 prices.

COLOR SELECTION LIST | Default Color Option

GROUP 1 (5-12 Structure)

Deck: Brown
Acc: Green
Post: Brown
Flat: Brown
Panel: Brown-Tan-Brown
Plastic: Green

GROUP 2 (Freestanding)

Flat: Brown
Acc: Green
Post: Brown
Deck: Brown
Plastic: Green

GROUP 3 (2-5 Structure)


Acc: Green
Deck: Brown
Post: Brown
Flat: Brown
Panel: Brown-Tan-Brown
Plastic: Green

COLORS THAT MOVE YOU


POWDER COAT PAINT



PLATFORMS




SOLIS HUE TOPPERS



TRADITIONAL SERIES SITE AMENITIES




ROCKIT CLIMBERS




HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT [BCIBURKE.COM/COLOR](https://bciburke.com/color) TO CUSTOMIZE YOUR PLAYGROUND COLORS!

Konnection Swing™

Safety Standards & Guidelines - Reference Information

The Konnection Swing was designed to provide an intergenerational play opportunity and offer everyone the childhood joy of swinging! While researching the use of swings, two trends stood out to us - caregivers pushing infants in bucket seat swings and adults swinging with children on their lap. Both situations could be improved with the design of a swing designed to foster connection and increase safety. The Konnection Swing was developed as a direct result of this. The overall design is focused on fostering true connection in both eye contact and proximity leading to increased engagement for all users. Hands-free swinging allows the caregiver to hold, interact and play with the child as they both experience the thrill of swinging together.

The Konnection Swing is IPEMA Certified and meets or exceeds the requirements of ASTM F1487-17, which is recognized as the standard of care in the playground industry. This ASTM public playground safety standard is revised every two to three years to remain current with innovation and market trends.

The CPSC Public Playground Safety Handbook hasn't been revised since 2008 and doesn't include new product categories that have been innovated in recent years. There are a couple of points to note when deciding to purchase a multi-user swing:

- Multi-user swings are innovative and CPSC Public Playground Safety Handbook doesn't have a standard that specifically covers them.
- CPSC 5.3.8.3.1 – CPSC recommends that belt swing seats should be designed to accommodate no more than one user at any time. While the Konnection Swing is a single axis swing, it is clearly not a belt seat.
- CPSC 2.3.1 – CPSC says that swings intended for more than one user are not recommended because their greater mass, as compared to single occupancy swings, presents a risk of impact injury.
- The ASTM safety standard, F1487, was revised in 2011 to add maximum impact requirements for swings and the Konnection Swing has been tested and is compliant with ASTM impact requirements.
- CPSC has written a letter stating that “the swing impact test in F1487-11 is a reasonable approach to address the concerns posed by unoccupied, heavy, multiple occupancy swings.”
- CPSC has always included an exemption to both recommendations listed above for tire swings, which are multiple occupancy swings that are suspended from a single pivot and permit swinging in any direction.
- CPSC also emphasizes that their Handbook provides recommendations, not requirements. If a jurisdiction adopts the Handbook's recommendations as mandatory requirements, that jurisdiction would need to determine how the requirements should be applied in any particular instance.

BURKE GENERATIONS WARRANTY®

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Nucleus®, Nucleus Evolution®, Nucleus Aspire™, Intensity®, Level X®, Synergy®, Synergy Imagination® & 4Me® against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKconnect® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers)
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Synergy®, Intensity®, Nucleus®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay® Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Nucleus®, Intensity®, and RopeVenture® cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on rubber belt material against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.

01/2024